

YOUR STYLE. YOUR FLOOR.



PRICE LIST/2015

CONTENT

04 TECHNOLOGY AND QUALITY

05 GRADINGS

06 LONGSTRIP

07 LONGSTRIP 209 MM

11 STRONGLINE 139 MM

12 PLANKS

12 OAK PLANK 138, 181, 209 MM

14 LIVE PURE PLANK 138, 209 MM

16 PLANK 138 MM

18 GENT PLANK 138, 181, 209 MM

19 FINELINE 138 MM

20 STONEWASHED COLLECTION 138, 209 MM

24 FASHION COLLECTION 209 MM

27 CHALET 200 - 395 MM

28 CHALETINO 300 MM

30 SOLID PLANK 137, 162, 187 MM

34 BOEN 2-LAYER COLLECTION

35 PRESTIGE 10 MM

39 ECONOMY 9.5 MM

40 TRAFFIC 12.5 MM

41 MAXI 10.5 MM

42 FINESSE 10.5 MM

44 NOBLE 9.7 MM

46 SPORTS FLOORS

50 ACCESSORIES

60 4 STEPS TO CHOOSE YOUR FLOOR

62 STEP 1: CHOICE OF STYLE

64 STEP 2: CHOICE OF COLOUR

68 STEP 3: CHOICE OF FORMAT

72 STEP 4: CHOICE OF SURFACE

74 ENVIRONMENTAL PRINCIPLES

76 BOEN VALUES

77 BOEN TEAM

82 THE WORLD OF BOEN

DEAR FRIENDS OF PARQUET,

2014 was a very exciting year: after an intense period of preparation, we unveiled our new style advisor concept. Several discussions with you over the course of the year convinced us that the concept would be met with great interest. Thanks to the 4 styles "Pure Nordic", "Modern Rustic", "Urban Contrast" and "Classic Elegance", the search for the right hardwood floor has become even more inspiring for end consumers. Over the course of 2015, we will work on raising awareness of our new concept on the market, while of course still remaining focused on product development.

We have extended the exclusive collections Chalet and Chaletino with new and attractive colours that are particularly striking when used as part of the richly contrasting Urban Contrast style: Oak Highland, Oak Yellowstone and Oak Tobacco. We now also provide an elegant, calm Nature grading in the Chaletino range, something that has been regularly requested by our customers.

We have also made changes to the two-layer range: with a new design for Prestige, the streamlining of the range, the Maxi strip in a new format and the ready-to-use oiled new surface Live Natural, we are focusing on our strengths while also future-proofing the range for you.

The highlight of our new range is a unique, innovative surface with an ultra matt finish. The oak planks with the "Live Pure" surface are characterised by their very natural look – almost like untreated wood – and their excellent functional characteristics. They are perfect for furnishing in the Pure Nordic, Modern Rustic or Classic Elegance styles! Oak planks with Live Pure will be offered from April 2015.

And finally, we have launched our new English-language Internet site boen.com. Take a look!

We wish you a very successful 2015.

Best wishes,

GEIR WÅLAND
President of the BOEN brand



S4020-B

ADVANCED TECHNOLOGY AND HIGH QUALITY

As an experienced parquet flooring company with a long tradition we always offer you wooden parquet floorings of high-grade quality and advanced technology.

BOEN QUALITY

We produce parquet flooring with top level of quality. And the process of developing new technology or increasing range of products never stops. With monitoring system that checks every aspect of production, we are so sure our production meets highest standards of quality, that we give our customers 20 year warranty.

Underfloor heating

Want to use BOEN wooden floors with underfloor heating? No problem! BOEN hardwood flooring is an ideal floor covering to place above underfloor heating system. Our floors have efficient thermal conductivity and lets you enjoy comfort of warm floor. For best heat transference we recommend gluing floors instead of using a floating system.

Different installation possibilities

Glued, nailed or floating? Parquet can be installed on most types of flooring. Problems such as uneven sub-flooring, moisture, sound proofing etc., can be resolved with the help of technical expertise from BOEN's sales and service team.

For more information, please refer to your parquet installer or our BOEN sales team.



We ensure our floors are top quality by giving our customers a 20 year warranty.




We work hard not only to maintain high quality of our production, but we also keep on looking for ways to improve.

BOEN X-PRESS – THE RAPID LOCKING TECHNOLOGY

Take advantage of the BOEN X-press lockingsystem on the short ends of the boards of all BOEN Clic products.

- › A quicker and easier way to install single boards without tools
- › Significantly reduces installation time
- › The clear Clic sound lets you know when installation is complete
- › Also suitable for full-surface gluing onto the sub-floor





On the long side of the board, BOEN uses the regular Clic system.

BOEN X-press: When pressing down on the board, the flexible tongue will lock and make the "single action" movement possible.

BOEN GRADINGS

VISIT OUR
VIRTUAL FLOOR
STUDIO TO GET A
BETTER IMPRESSION
OF THE GRADINGS.
BOEN.COM

Wood is a natural product. Some types of wood – beech, for example – have a relatively calm grain. Others, like oak, are rich in structure, with a spectrum of calm to rustic. We offer a wide selection for you to choose from.

	CALM	LIVELY	RUSTIC
Adagio, Select			
Andante, Nature			
Basic, Concerto, Contract, Finale			
Animoso, Bellevue, Country, Forte, Rustic			
Allegro, Baltic, Traditional			
Canyon, Vivo			

Wood is a product of nature – each tree has its own structure and individual colour combination. An image or a sample will therefore never be able to give you a complete picture of the finished floor. Please also note that the colour may change when exposed to light. As a guideline, darker wood species will get a more golden tone, whereas lighter species will become slightly darker.

CALM

Consistent growth; free of knots; standing or half-standing yearnings.



LIVELY

Natural grading with small to medium knots; a limited spectrum of colours due to sapwood and heartwood.



RUSTIC

Structure and vivid growth; larger knots and sapwood; a rich spectrum of colours.



LONGSTRIP

The classic among the parquet floorings. The varied pattern provides a lively and modern look and is excellently applicable for different room situations.



Oak Finale, longstrip



*Oak Smoked with Live Natural in preparation



Longstrip 209 mm



Longstrip 139 mm Strongline

Longstrip 209 mm

A 3-strip flooring with modern design. Very flexible and easy to use. Longstrip parquet flooring is enhanced with BOEN X-press locking system, which makes installation of this floor incredibly easy.

Longstrip 139 mm Strongline

With its top layer of approx. 5.5 mm Strongline is particularly appropriate to be used in high-frequented areas. With tongue and groove profile for traditional installation.

Longstrip 209 mm

- The expressive parquet flooring of varied looks
- With BOEN X-press this flooring is rapidly and reliably installed
- With immediate audible feedback
- Dimension: 14 x 209 x 2200 mm
Top layer: about 3.5 mm
Middle layer: 8.8 mm
Bottom layer: 1.7 mm



Type of wood	Grading	Live Satin		Live Matt		Live Natural	
		Article no.	€/m ² Net price	Article no.	€/m ² Net price	Article no.	€/m ² Net price
Ash	Andante	ASGV3PTD	47.20	ASGV3STD	49.20	ASGV3KTD	50.95
Ash	Allegro	ASGV8PTD	37.90	ASGV8STD	39.90	ASGV8KTD	41.65
Ash white pigmented	Andante			ASGV32TD	50.20	ASGV3MTD	51.95
Ash white pigmented	Allegro			ASGV82TD	40.90		
Ash Polar white stained				APGV3STD	72.90		
Maple Canadian	Andante	MAGV3PTD	55.70	MAGV3STD	57.70	MAGV3KTD	59.45
Maple Canadian	Animoso	MAGV4PTD	48.30				
Beech	Andante	BDGV3PTD	40.00	BDGV3STD	42.00	BDGV3KTD	43.75
Beech	Animoso	BDGV4PTD	35.40	BDGV4STD	37.40	BDGV4KTD	39.15

INFO

1 package = 6 elements = 2.76 m² = 23 kg, 1 pallet = 50 packages = 138 m²
We can only deliver complete packages.

N PURE NORDIC **R** MODERN RUSTIC **U** URBAN CONTRAST **C** CLASSIC ELEGANCE



Ash Andante



Ash Allegro



Ash Andante white




Ash Allegro white



Ash Polar



Maple Canadian Andante








Maple Canadian Animoso



Beech Andante



Beech Animoso

Type of wood	Grading	 Live Satin Article no. €/ m^2 Net price	 Live Matt Article no. €/ m^2 Net price	 Live Natural Article no. €/ m^2 Net price	
Oak	Adagio	EIGV2PTD 55.90			
Oak	Andante	EIGV3PTD 44.90	EIGV35TD 46.90	EIGV3KTD 48.65	
Oak	Finale	EIGVTPD 39.10	EIGVT5TD 41.10	EIGVTKTD 42.85	
Oak 4-strip	Forte	EIGV9P3D 31.80	EIGV953D 33.80	EIGV9K3D 35.55	
Oak white pigmented	Andante		EIGV32TD 47.90	EIGV3MTD 49.65	
Oak white pigmented	Concerto		EIGV72TD 45.00	EIGV7MTD 46.75	
Oak Old Grey	Finale			OGGVTKTD 50.45	
Oak Coral	 Finale			OPGVMTD 50.45	
Oak Pearl	 Finale			ORGVTMTD 46.30	
Oak Sand	Finale			XHGVMTD 50.45	


INFO

1 package = 6 elements = 2.76 m² = 23 kg, 1 pallet = 50 packages = 138 m²
 We can only deliver complete packages.

 PURE NORDIC
  MODERN RUSTIC
  URBAN CONTRAST
  CLASSIC ELEGANCE




Oak Adagio




Oak Andante




Oak Finale




Oak Forte 4-strip




Oak Andante white




Oak Concerto white




Oak Old Grey



Oak Coral



Oak Pearl



Oak Sand



Oak Sand, longstrip

Type of wood	Grading	Live Satin		Live Matt		Live Natural	
		Article no.	€/m ² Net price	Article no.	€/m ² Net price	Article no.	€/m ² Net price
Oak Arizona coloured stained				EQGV3STD	49.90		
Cherry American	Andante	KIGV3PTD	70.20	KIGV3STD	72.20	KIGV3KTD	73.95
Doussie		DOGV2PTD	66.70			DOGV2KTD	70.45
Oak Toscana coloured stained				ETGV3STD	49.90		
Iroko/ Kambala		IRGV2PTD	60.10			IRGV2KTD	63.85
Jatoba		JAGV2PTD	62.70			JAGV2KTD	66.45
Merbau		MEGV2PTD	66.50			MEGV2KTD	70.25
Oak Provence coloured stained				ERGV3STD	49.90		

INFO

1 package = 6 elements = 2.76 m² = 23 kg, 1 pallet = 50 packages = 138 m²
We can only deliver complete packages.

N

PURE NORDIC

R


MODERN RUSTIC

U


URBAN CONTRAST

C

CLASSIC ELEGANCE



Oak Arizona



Cherry American Andante




Doussie



Oak Toscana



Iroko/ Kambala




Jatoba



Merbau



Oak Provence




Walnut American Andante, longstrip

Type of wood	Grading	Live Satin		Live Matt		Live Natural	
		Article no.	€/m ² Net price	Article no.	€/m ² Net price	Article no.	€/m ² Net price
Oak Marron steamed		ROGV3PTD	58.10	ROGV3STD	60.10	ROGV3KTD	61.85
Oak Cordoba coloured stained				ECGV3STD	49.90		
Walnut American	Andante	NUGV3PTD	72.10	NUGV3STD	74.10	NUGV3KTD	75.85
Oak Smoked		ELGV8PTD	53.90	ELGV8STD	55.90	ELGV8KTD	57.65
Oak Noir smoked, stained		EMGV3PTD	58.50	EMGV3STD	60.50		


INFO

1 package = 6 elements = 2.76 m² = 23 kg, 1 pallet = 50 packages = 138 m²
 We can only deliver complete packages.


N PURE NORDIC **R** MODERN RUSTIC **U** URBAN CONTRAST **C** CLASSIC ELEGANCE




Oak Marron




Oak Cordoba



Walnut American Andante



Oak Smoked




Oak Noir

Strongline 139 mm

- Our longstrip floor with approx. 5.5 mm top layer to be used in highly frequented areas such as restaurants, hotels, exhibition rooms, etc.
- With traditional BOEN 2-strip and tongue/ groove profile for professional business objects
- Dimension: 21 x 139 x 2200 mm
Top layer: ca. 5.5 mm
Middle layer: 10.5 mm
Bottom layer: 5 mm



Type of wood	Grading	 Sport Lacquer	
		Article no.	€/m ² Net price
Ash	Contract	AS377TLD	78.10
Maple Canadian	Contract	MA377TLD	89.20
Beech	Contract	BD377TLD	74.50
Oak	Contract	EI377TLD	79.50

INFO

1 package = 6 elements = 1,83 m² = 21 kg, 1 pallet = 42 packages = 76,86 m²
We reserve the right to deliver 1 element as random length in each package.
We can only deliver complete packages.


N PURE NORDIC **R** MODERN RUSTIC **U** URBAN CONTRAST **C** CLASSIC ELEGANCE



Ash Contract



Maple Canadian Contract



Beech Contract




Oak Contract



OAK PLANKS

For a quick overview, we have put our three widths of oak planks together. Combine the three widths for an attractive overall appearance.



Oak Andante, plank 138, 181 and 209 mm



*Oak Smoked with Live Natural
in preparation



Plank 138 mm

Plank 181 mm

Plank Castle 209 mm

Easy and rapid

Using the end joint vertical locking system BOEN X-press it is possible to improve installation time by up to 40% compared to previous systems. Installation completely without tools and glue.

Oak Plank

138, 181, 209 mm

- Combine the three widths for an attractive overall appearance
- With BOEN X-press this flooring is rapidly and reliably installed
- All items have a micro bevel (2V)
- Dimension: 14 x 138/ 181/ 209 x 2200 mm
Top layer: ca. 3.5 mm
Middle layer: 8.8 mm
Bottom layer: 1.7 mm



Type of wood	Grading	Width of boards	Live Matt		Live Natural unbrushed		Live Natural brushed	
			Article no.	€/m ² Net price	Article no.	€/m ² Net price	Article no.	€/m ² Net price
Oak	Andante	138 mm	EIG835FD	72.60	EIG83KFD	74.35	EBG83KFD	77.35
		181 mm	EIGD35FD	78.50	EIGD3KFD	80.25	EBGD3KFD	83.25
		209 mm	EIGV35FD	88.20	EIGV3KFD	89.95	EBGV3KFD	92.95
Oak	Animoso	138 mm	EIG845FD	64.65	EIG84KFD	66.40	EBG84KFD	69.40
		181 mm	EIGD45FD	69.80	EIGD4KFD	71.55	EBGD4KFD	74.55
		209 mm	EIGV45FD	78.70	EIGV4KFD	80.45	EBGV4KFD	83.45
Oak	Vivo	138 mm	EIG8V5FD	57.00	EIG8VKFD	58.75	EBG8VKFD	61.75
		181 mm	EIGDV5FD	61.70	EIGDVKFD	63.45	EBGDVKFD	66.45
		209 mm	EIGVV5FD	70.00	EIGVVKFD	71.75	EBGVVKFD	74.75
Oak white pigmented	Andante	138 mm	EIG832FD	73.60	EIG83MFD	75.35	EBG83MFD	78.35
		181 mm	EIGD32FD	79.50	EIGD3MFD	81.25	EBGD3MFD	84.25
		209 mm	EIGV32FD	89.20	EIGV3MFD	90.95	EBGV3MFD	93.95
Oak white pigmented	Animoso	138 mm	EIG842FD	65.65	EIG84MFD	67.40	EBG84MFD	70.40
		181 mm	EIGD42FD	70.80	EIGD4MFD	72.55	EBGD4MFD	75.55
		209 mm	EIGV42FD	79.70	EIGV4MFD	81.45	EBGV4MFD	84.45
Oak Smoked	Andante	138 mm	ELG835FD	94.10	ELG83KFD	95.85	EEG83KFD	98.85
		209 mm	ELGV35FD	114.70	ELGV3KFD	116.45	EEGV3KFD	119.45
Oak Smoked	Allegro	138 mm	ELG885FD	87.20	ELG88KFD	88.95	EEG88KFD	91.95
		209 mm	ELGV85FD	105.90	ELGV8KFD	107.65	EEGV8KFD	110.65

INFO

138 mm: 1 package = 10 elements = 3.04 m² = 24 kg, 1 pallet = 42 packages = 127.68 m². We reserve the right to deliver 2 elements with slotted top layer in each package. The shortest top layer has a minimum length of 600 mm. We can only deliver complete packages.

181 mm: 1 package = 8 elements = 3.19 m² = 24 kg, 1 pallet = 40 packages = 127.60 m². We reserve the right to deliver 1 element with slotted top layer in each package. The shortest top layer has a minimum length of 800 mm. We can only deliver complete packages.

209 mm: 1 package = 6 elements = 2.76 m² = 23 kg, 1 pallet = 50 packages = 138 m². We only deliver whole length boards without slotted top layer. We can only deliver complete packages.

N PURE NORDIC **R** MODERN RUSTIC **U** URBAN CONTRAST **C** CLASSIC ELEGANCE




Oak Andante



Oak Animoso




Oak Vivo




Oak Andante white



Oak Animoso white



Oak Smoked Andante



Oak Smoked Allegro

LIVE PURE PLANKS

NEW
April 2015

As pure and clear as untreated wood – this is the special attribute about our new surface finish Live Pure. Live Pure protects the wood thanks to a special treatment applied to the surface which leaves the look of the hardwood floor naturally light.



Oak Animoso, plank



Plank 138 mm



Plank Castle 209 mm

Planks in 2 widths

Planks with Live Pure are offered in the classic width of 138 mm, as well as the high-quality Castle width of 209 mm.

Our tip: give your flooring even more of a high-quality look by combining both widths.

Oak Plank

138, 209 mm

15

- › The planks are safely protected by the new surface Live Pure
- › All planks are brushed and have a bevel on length sides of the board (2V)
- › Simple and quick to lay with BOEN X-press Clic connection
- › Dimension: 14 x 138/ 209 x 2200 mm
Top layer: ca. 3.5 mm
Middle layer: 8.8 mm
Bottom layer: 1.7 mm



Type of wood	Grading	Width of boards	Live Pure	Article no.	€/m ² Net price	
Oak slightly brushed	NEW Andante	138 mm 209 mm		EBG833FD EBGV33FD	86.35 101.95	
Oak slightly brushed	NEW Animoso	138 mm 209 mm		EBG843FD EBGV43FD	78.40 92.45	
Oak white pigmented, slightly brushed	NEW Andante	138 mm 209 mm		EBG836FD EBGV36FD	89.35 104.95	

INFO


138 mm: 1 package = 10 elements = 3.04 m² = 24 kg, 1 pallet = 42 packages = 127.68 m². We reserve the right to deliver 2 elements with slotted top layer in each package. The shortest top layer has a minimum length of 600 mm. We can only deliver complete packages.

209 mm: 1 package = 6 elements = 2.76 m² = 23 kg, 1 pallet = 50 packages = 138 m². All boards in the package have a length of 2200 mm. We can only deliver complete packages.

N PURE NORDIC **R** MODERN RUSTIC **U** URBAN CONTRAST **C** CLASSIC ELEGANCE



Oak Andante



Oak Animoso






Oak Andante white

Plank 138 mm

- BOEN planks have a classic, timeless and noble effect. In order to achieve an ideal surface look, we have used optimum width and length ratios for our boards. This way, your room is perfectly presented
- Dimension: 14 x 138 x 2200 mm
Top layer: ca. 3.5 mm
Middle layer: 8.8 mm
Bottom layer: 1.7 mm

BOEN  PRESS



Type of wood	Grading	 Live Satin		 Live Matt		 Live Natural	
		Article no.	€/m ² Net price	Article no.	€/m ² Net price	Article no.	€/m ² Net price
Ash	Andante	ASG83PPD	80.50	ASG835PD	82.50	ASG83KPD	84.25
Ash	Animoso	ASG84PPD	61.30				
Ash white pigmented	Andante			ASG832PD	83.50	ASG83MPD	85.25
Ash Polar white stained				APG835PD	98.40		
Maple Canadian	Andante	MAG83PPD	98.20			MAG83KPD	101.95
Oak Arizona coloured stained				EQG835PD	77.60		
Cherry American	Andante	KIG83PPD	99.30			KIG83KPD	103.05
Doussie		DOG83PPD	94.10			DOG83KPD	97.85
Oak Toscana coloured stained				ETG835PD	77.60		
Iroko/ Kambala		IRG83PPD	78.10			IRG83KPD	81.85

INFO

1 package = 10 elements = 3.04 m² = 24 kg, 1 pallet = 42 packages = 127.68 m². We reserve the right to deliver 2 elements with slotted top layer in each package. The shortest top layer has a minimum length of 600 mm. We can only deliver complete packages.

N PURE NORDIC **R** MODERN RUSTIC **U** URBAN CONTRAST **C** CLASSIC ELEGANCE



Ash Andante



Ash Animoso



Ash Andante white



Ash Polar




Maple Canadian Andante



Oak Arizona



Cherry American Andante




Doussie



Oak Toscana



Iroko/ Kambala



Type of wood	Grading	Live Satin		Live Matt		Live Natural	
		Article no.	€/m ² Net price	Article no.	€/m ² Net price	Article no.	€/m ² Net price
Jatoba		JAG83PPD	87.40			JAG83KPD	91.15
Merbau		MEG83PPD	97.70			MEG83KPD	101.45
Oak Provence coloured stained				ERG835PD	77.60		
Oak Cordoba coloured stained				ECG835PD	77.60		
Walnut American	Andante	NUG83PPD	129.95	NUG835PD	131.95	NUG83KPD	133.70
Walnut American	Animoso	NUG84PPD	113.75	NUG845PD	115.75		
Walnut American Gent *	Andante	NUG83PUD	97.45			NUG83KUD	101.20
Walnut American Gent *	Animoso	NUG84PUD	85.30				
Oak Noir smoked, stained		EMG83PPD	92.10	EMG835PD	94.10		

INFO

1 package = 10 elements = 3.04 m² = 24 kg, 1 pallet = 42 packages = 127.68 m². We reserve the right to deliver 2 elements with slotted top layer in each package. The shortest top layer has a minimum length of 600 mm. We can only deliver complete packages.

*With slotted top layer!


N PURE NORDIC **R** MODERN RUSTIC **U** URBAN CONTRAST **C** CLASSIC ELEGANCE




Jatoba



Merbau




Oak Provence



Oak Cordoba




Walnut American Andante




Walnut American Animoso



Walnut American Gent Andante



Walnut American Gent Animoso



Oak Noir

Gent Plank

138, 181, 209 mm

- The boards with the slotted top layer remind of Dutch boards and particularly develop their effects in small rooms
- The modern, young look, as well as the good price/ performance ratio make this product interesting, particularly for parquet beginners
- Dimension: 14 x 138/ 181/ 209 x 2200 mm
Top layer: ca. 3.5 mm
Middle layer: 8.8 mm
Bottom layer: 1.7 mm



Type of wood	Grading	Width of boards	Live Matt		Live Natural unbrushed		Live Natural brushed	
			Article no.	€/m ² Net price	Article no.	€/m ² Net price	Article no.	€/m ² Net price
Oak	Andante	138 mm	EIG835JD	54.50	EIG83KJD	56.25	EBG83KJD	59.25
		181 mm	EIGD35JD	58.90	EIGD3KJD	60.65	EBGD3KJD	63.65
		209 mm	EIGV35JD	66.15	EIGV3KJD	67.90	EBGV3KJD	70.90
Oak	Animoso	138 mm	EIG845JD	48.50	EIG84KJD	50.25	EBG84KJD	53.25
		181 mm	EIGD45JD	52.35	EIGD4KJD	54.10	EBGD4KJD	57.10
		209 mm	EIGV45JD	59.00	EIGV4KJD	60.75	EBGV4KJD	63.75
Oak	Vivo	138 mm	EIG8V5JD	42.75	EIG8VKJD	44.50	EBG8VKJD	47.50
		181 mm	EIGDV5JD	46.30	EIGDVKJD	48.05	EBGDVKJD	51.05
		209 mm	EIGVV5JD	52.50	EIGVVKJD	54.25	EBGVVKJD	57.25
Oak white pigmented	Andante	138 mm	EIG832JD	55.50	EIG83MJD	57.25	EBG83MJD	60.25
		181 mm	EIGD32JD	59.90	EIGD3MJD	61.65	EBGD3MJD	64.65
		209 mm	EIGV32JD	67.15	EIGV3MJD	68.90	EBGV3MJD	71.90
Oak white pigmented	Animoso	138 mm	EIG842JD	49.50	EIG84MJD	51.25	EBG84MJD	54.25
		181 mm	EIGD42JD	53.35	EIGD4MJD	55.10	EBGD4MJD	58.10
		209 mm	EIGV42JD	60.00	EIGV4MJD	61.75	EBGV4MJD	64.75

INFO

All elements have 1 slotted top layer. Minimum length of slotted surfaces is 600 mm. We can only deliver complete packages.

138 mm: 1 package = 10 elements = 3.04 m² = 24 kg, 1 pallet = 42 packages = 127.68 m².


181 mm: 1 package = 8 elements = 3.19 m² = 24 kg, 1 pallet = 40 packages = 127.6 m².

209 mm: 1 package = 6 elements = 2.76 m² = 23 kg, 1 pallet = 50 packages = 138 m².


N PURE NORDIC **R** MODERN RUSTIC **U** URBAN CONTRAST **C** CLASSIC ELEGANCE




Oak Andante




Oak Animoso



Oak Vivo



Oak Andante white



Oak Animoso white

Fineline 138 mm

- Fineline planks are made from fine and narrow oak slats
- The captivating finish is particularly attractive when used in large, modern rooms
- Dimension: 14 x 138 x 2200 mm
Top layer: ca. 3.5 mm
Middle layer: 8.8 mm
Bottom layer: 1.7 mm

BOEN  PRESS



Type of wood	Live Matt		Live Natural	
	Article no.	€/m ² Net price	Article no.	€/m ² Net price
Oak	EIG895RD	56.70	EIG89KRD	58.45
Oak white pigmented	EIG892RD	57.70	EIG89MRD	59.45
Oak Smoked	ELG895RD	67.90	ELG89KRD	69.65


INFO

1 package = 10 elements = 3.04 m² = 24 kg, 1 pallet = 42 packages = 127.68 m².
We can only deliver complete packages.


N PURE NORDIC **R** MODERN RUSTIC **U** URBAN CONTRAST **C** CLASSIC ELEGANCE



Oak



Oak white



Oak Smoked



Oak Smoked, Fineline

STONEWASHED COLLECTION

Distinctive contrasts of lava rocks or gleaming gloss of a pearl – floorings of the Stonewashed Collection are inspired by nature. Brushed, distinctive structures and a surface treated with Live Natural oil let you feel the flooring with all senses.



Oak Sand, plank Castle



* Oak Lava, Shadow and Stone in preparation



Available in two formats

BOEN Stonewashed boards are available in two formats: As classic plank boards of optimum width and length ratios – as well as broad and exclusive Castle boards for a spacious room effect.

Harmonious look: Skirting boards made from BOEN parquet

We manufacture skirting boards in almost every finish in the BOEN product range. You can find skirting boards in Stonewashed Collection colours on page 53.

Stonewashed Collection 138, 209 mm

21

- Earth colours and high-contrast structures constitute the effect of this range of products
- All Stonewashed products are equipped with a micro bevel on the longitudinal side
- Only entire lengths of 2200 mm are supplied for 209 mm width
- Dimension:
 - Plank: 14 x 138 x 2200 mm
 - Plank Castle: 14 x 209 x 2200 mm
 - Top layer: ca. 3.5 mm
 - Middle layer: 8.8 mm
 - Bottom layer: 1.7 mm

BOEN  PRESS



Type of wood	Features	Width of boards	Live Natural brushed		Live Natural unbrushed	
			Article no.	€/m ² Net price	Article no.	€/m ² Net price
Oak Alamo	with antique stain	Plank 138 mm Plank Castle 209 mm			EAG8VKFD EAGVVKFD	74.00 87.00
Oak Amber	brushed, amber colour pigmented	Plank 138 mm Plank Castle 209 mm	GIG84KFD GIGV4KFD	79.20 92.20		
Oak Barrel	brushed, brown tone pigmented	Plank 138 mm Plank Castle 209 mm	OOG84KFD OOGV4KFD	79.90 94.80		
Oak Old Grey	whitewashed appearance, stained	Plank 138 mm Plank Castle 209 mm	OGG84KFD OGGV4KFD	79.90 94.80		
Oak Coral	gleaming white pigmented	Plank 138 mm Plank Castle 209 mm	OPG84MFD OPGV4MFD	79.90 94.80		
Oak Ivory	ivory colour pigmented	Plank 138 mm Plank Castle 209 mm			XEG83KFD XEGV3KFD	84.95 100.55
Oak Pearl	pearl white pigmented	Plank 138 mm Plank Castle 209 mm			ORG84MFD ORGV4MFD	75.85 90.65
Oak Sand	brushed, sand colour oiled	Plank 138 mm Plank Castle 209 mm	XHG84MFD XHGV4MFD	79.90 94.80		
Oak Moon	brushed, dark with white-silvery shimmer	Plank 138 mm Plank Castle 209 mm	OXG8VMFD OXGVVMFD	79.20 92.20		

INFO

Plank 138 mm: 1 package = 10 elements = 3.04 m² = 24 kg, 1 pallet = 42 packages = 127.68 m². We reserve the right to deliver 2 elements with slotted top layer in each package. Minimum length of slotted surfaces is 600 mm. We can only deliver complete packages.


Castle 209 mm: 1 package = 6 elements = 2.76 m² = 23 kg, 1 pallet = 50 packages = 138 m².

All boards in the package have a length of 2200 mm. We can only deliver complete packages.

N PURE NORDIC **R** MODERN RUSTIC **U** URBAN CONTRAST **C** CLASSIC ELEGANCE




Oak Alamo



Oak Amber



Oak Barrel



Oak Old Grey




Oak Coral




Oak Ivory



Oak Pearl



Oak Sand



Oak Moon

Type of wood	Features	Width of boards	Live Natural brushed		Live Natural unbrushed	
			Article no.	€/m ² Net price	Article no.	€/m ² Net price
Oak Graphite	brushed, dark with light-yellow shimmer	Plank 138 mm Plank Castle 209 mm	OZG8VKFD OZGVVKFD	79.20 92.20		
Oak Lava	smoked, limed, stained, vivid colouring	Plank 138 mm Plank Castle 209 mm	XAG84KFD XAGV4KFD	98.55 117.25		
Oak Shadow	smoked, lively stone colour	Plank 138 mm Plank Castle 209 mm			XDG88MFD XDGV8MFD	94.40 113.10
Oak Stone	grained stone colours	Plank 138 mm Plank Castle 209 mm			XBG83MFD XBGV3MFD	101.30 121.90


INFO

Plank 138 mm: 1 package = 10 elements = 3.04 m² = 24 kg, 1 pallet = 42 packages = 127.68 m². We reserve the right to deliver 2 elements with slotted top layer in each package. Minimum length of slotted surfaces is 600 mm. We can only deliver complete packages.


Castle 209 mm: 1 package = 6 elements = 2.76 m² = 23 kg, 1 pallet = 50 packages = 138 m².

All boards in the package have a length of 2200 mm. We can only deliver complete packages.


N PURE NORDIC **R** MODERN RUSTIC **U** URBAN CONTRAST **C** CLASSIC ELEGANCE



Oak Graphite



Oak Lava



Oak Shadow



Oak Stone



Oak Lava, plank Castle



FASHION COLLECTION

Anything but ordinary. The colouring and texture of the oak surface in our new Fashion Collection are both fascinating and inspiring. Exclusive plank floors for trend-conscious furnishing styles.



Oak Shabby Cream, plank Castle



Plank Castle 209 mm

A new take on oak planks

The elaborate wood structure and colouring of the surfaces make the 209 mm wide planks in the Fashion Collection the best possible choice for interior designs that are both exclusive and unique. Exquisite oak is planed, sanded and brushed in numerous steps. The texture is emphasised with stain or coloured oil, before the surface is finished with our Live Natural.

Tone in tone

For a harmonious overall surface appearance, we recommend skirting boards in the Fashion Collection colours. See page 53.

Fashion Collection 209 mm

- Exclusive 209 mm oak planks with special surface finish, available in a wide range of colours
- Easy and quick to install with BOEN X-press
- Only entire lengths of 2200 mm are supplied
- All planks with bevel
- Dimension: 14 x 209 x 2200 mm
Top layer: ca. 3.5 mm
Middle layer: 8.8 mm
Bottom layer: 1.7 mm

BOEN X-PRESS



Type of wood	Features	Live Natural		
		Article no.	€/m ² Net price	Bevel
Oak White Nights	Very deep brushed planks with black-filled knots. White natural oil penetrates deep into the wood structure and creates a pale appearance.	SBGVVMFD	99.90	2V
Oak Shabby Cream	A cream stain brings out the grain of the planed surface. The surface is oiled with Live Natural.	SCGV4MWD	100.95	4V
Oak Golden Valley	At first glance it just looks like an exclusive oak plank. But touch it, and you will be surprised. The planks are lightly planed in a wave pattern.	SIGV4KWD	97.95	4V
Oak Indian Summer	Very deep brushed oak planks with black-filled knots.	SAGVVKFD	96.90	2V
Oak Sandy Grey	An exquisite, subdued colour shade brings out the texture of the planed oak plank. Finished with Live Natural.	SHGV4KWD	100.95	4V
Oak Shabby White	Clear white brings out the planed surface and gives the planks a very pale appearance. Live Natural protects the surface.	SDGV4MWD	100.95	4V
Oak Blue Moon	A fascinatingly rich colour brings out the planed structure of the surface. Live Natural provides the surface with natural protection.	SGGV4KWD	100.95	4V
Oak Mystic Jungle	The planed and colour-treated oak planks create a dark and mysterious impression. The surface is finished with Live Natural oil treatment.	SFGV4KWD	100.95	4V

INFO

1 package = 6 elements = 2.76 m² = 23 kg, 1 pallet = 50 packages = 138 m².

We only deliver whole lengths, without slotted top layers. We can only deliver complete packages.

Due to the plank grain, small, unfilled depressions or fissures may be present. These are part of the surface character.

N

PURE NORDIC

R


MODERN RUSTIC

U

URBAN CONTRAST

C

CLASSIC ELEGANCE




Oak White Nights



Oak Shabby Cream




Oak Golden Valley




Oak Indian Summer




Oak Sandy Grey



Oak Shabby White




Oak Blue Moon



Oak Mystic Jungle

CHALET AND CHALETINO


Large and impressive rooms in private or public buildings invite you to make a special feature of the floor. Chalet and Chaletino are perfect for this task: exceptionally large formats in all three dimensions, and individually cut so that each floor ensures that a room is presented in its best light.



Oak Coral, Chalet



Plank Chaletino 300 mm



Plank Chalet 200-395 mm

Chalet

BOEN Chalet boards are individually manufactured. We develop a proposal for the optimum composition of different board widths and lengths according to your room drawing. Only after your confirmation and the confirmation of your customer we start the production of these valuable boards.

Chaletino

The attractive planks measuring 2750 mm length by 300 mm width accentuate the size of large room situations. The 1 mm x 45° micro-bevel on all 4 sides emphasises the generous length and width of these large planks.

BOEN Chalet 200–395 mm

- The stable 3-layer structure has an oak wood top layer with a thickness of about 4.5 mm. The noble top layer originates from valuable oaks grown in the Baltic States with an age of 150 to 200 years
- BOEN Chalet boards are safely installed with the classic tongue and groove connection. All items are equipped with a four-sided bevel
- Filled knots slightly subjacent
- Dimension:
 - Top layer: ca. 4.5 mm
 - Width: 200/ 250/ 300/ 350/ 395 mm
 - Length: 2000 - 4000 mm
 - Board thickness: 20 mm




Type of wood	Features	Ground, raw		Live Natural unbrushed		Live Natural brushed	
		Article no.	€/m ² Net price	Article no.	€/m ² Net price	Article no.	€/m ² Net price
Oak Traditional	pure oak in a rustic grade	EICX4UFD	144.20	EICX4KFD	159.10	EBCX4KFD	162.20
Oak Old Grey	brushed, whitewashed appearance					OGCX4KFD	170.50
Oak Coral	gleaming white pigmented					OPCX4MFD	170.50
Oak Traditional white	pale white pigmentation			EICX4MFD	166.30		
Oak Pearl	pearl white pigmented			ORCX4MFD	166.30		
Oak Sand	sand colour pigmented					XHCX4MFD	170.50
Oak Antique	with antique stain			EACXVKFD	166.30		
Oak Highland	NEW brushed, dark stained, coloured oiled					XGCXVMFD	180.50
Oak Yellowstone	NEW brushed, dark stained, coloured oiled					XFCXVKFD	180.50
Oak Tobacco	NEW brushed, dark stained, transparent oiled					OACXVKFD	180.50

INFO

All products of the Chalet Collection are made to order.


N PURE NORDIC **R** MODERN RUSTIC **U** URBAN CONTRAST **C** CLASSIC ELEGANCE




Oak Traditional




Oak Old Grey




Oak Coral



Oak Traditional white




Oak Pearl




Oak Sand




Oak Antique



Oak Highland



Oak Yellowstone



Oak Tobacco

Chaletino Plank 300 mm

- › These attractive planks convince by means of their outstanding length and width
- › The robust natural hardwood layer is approximately 4.5 mm thick
- › Every single plank has a micro-bevel on all 4 sides
- › Filled knots slightly subagent
- › Dimension:
 - Top layer: ca. 4.5 mm
 - Width: 300 mm
 - Length: 2750 mm
 - Board thickness: 20 mm



Type of wood	Features	Live Natural unbrushed		Live Natural brushed	
		Article no.	€/m ² Net price	Article no.	€/m ² Net price
Oak Nature	NEW pure oak with a calm and elegant grading	EICY3KFD	177.50		
Oak Nature white	NEW calm grading, pale white pigmented	EICY3MFD	184.50		
Oak Traditional	pure oak with a rustic grade	EICY4KFD	127.50	EBCY4KFD	130.60
Oak Traditional white	a rustic grade with a pale white pigmentation	EICY4MFD	134.70		
Oak Coral	gleaming white pigmented			OPCY4MFD	138.80
Oak Pearl	pearl white pigmented	ORCY4MFD	134.70		
Oak Old Grey	brushed, whitewashed appearance, stained			OGCY4KFD	138.80
Oak Sand	sand colour pigmented			XHCY4MFD	138.80


INFO

All products in the Chaletino collection are made to order.

1 package = 2 elements = 1.65 m² = 18 kg, 1 pallet = 30 packages = 49.50 m² = 540 kg

We can only deliver complete packages.


N PURE NORDIC **R** MODERN RUSTIC **U** URBAN CONTRAST **C** CLASSIC ELEGANCE




Oak Nature




Oak Nature white




Oak Traditional



Oak Traditional white




Oak Coral



Oak Pearl



Oak Old Grey



Oak Sand



Type of wood	Features	Live Natural unbrushed		Live Natural brushed	
		Article no.	€/m ² Net price	Article no.	€/m ² Net price
Oak Antique	with antique stain	EACYVKFD	134.70		
Oak Highland NEW	brushed, dark stained, coloured oiled			XGCVVMFD	148.80
Oak Yellowstone NEW	brushed, dark stained, coloured oiled			XFCYVKFD	148.80
Oak Tobacco NEW	brushed, dark stained, transparent oiled			OACYVKFD	148.80

INFO

All products in the Chaletino collection are made to order.


1 package = 2 elements = 1.65 m² = 18 kg, 1 pallet = 30 packages = 49.50 m² = 540 kg

We can only deliver complete packages.


N PURE NORDIC **R** MODERN RUSTIC **U** URBAN CONTRAST **C** CLASSIC ELEGANCE




Oak Antique




Oak Highland



Oak Yellowstone




Oak Tobacco



Oak Coral, Chaletino

SOLID PLANK

*Enjoy the fascinating properties and the longevity of real solid boards:
a warm and vital room feeling and a high-quality ambiance.*



Oak Tobacco, solid plank



Solid plank 137 mm



Solid plank 162 mm



Solid plank 187 mm

Personal style

Dare to choose flooring with strong personality: Solid wood with special surface treatments give a distinctive appearance of years of wear. The use of dark stain or colour-pigmented oil creates a unique floor where the annual rings in the wood are accentuated. Our solid floors have a rustic grading, knots and cracks are plugged and filled using genuine handwork.

Genuine and individual

We offer our solid planks in three different widths ranging from 137 to 187 mm. Our tip: install a mix of all three dimensions in your house. This will enhance the beautiful look of these planks.

Solid plank

137, 162, 187 mm

31

- BOEN solid boards are finished with Live Natural Oil and dried in the air according to the traditional technique. This way, they are perfectly protected and the lively character of the wood is maintained
- The boards are offered in three widths. All items have a circumferential micro bevel
- Dimension: Width: 137/ 162/ 187 mm
Length: 800 - 2220 mm
Board thickness: 20 mm



Type of wood	Width of boards	Features	Live Natural	
			Article no.	€/m ² Net price
Oak Traditional	137 mm	simple and rustic	EICA4KFD	67.60
	162 mm		EICB4KFD	74.60
	187 mm		EICC4KFD	79.30
Oak Old Grey	137 mm	brushed, white washed appearance	OGCA4KFD	71.80
	162 mm		OGCB4KFD	78.70
	187 mm		OGCC4KFD	83.50
Oak Traditional white	137 mm	rustic board with a pale white pigmentation	EICA4MFD	68.70
	162 mm		EICB4MFD	75.60
	187 mm		EICC4MFD	80.30
Oak Antique	137 mm	with antique stain, as naturally matured	EACA4KFD	73.40
	162 mm		EACB4KFD	80.30
	187 mm		EACC4KFD	85.20

INFO


5 elements in each package – minimum 3 boards of whole length.

Solid plank 137 mm: 1 package = 1.52 m² = 21 kg, 1 pallet = 35 packages = 53.20 m² = 735 kg

Solid plank 162 mm: 1 package = 1.80 m² = 26 kg, 1 pallet = 30 packages = 54.00 m² = 780 kg

Solid plank 187 mm: 1 package = 2.08 m² = 31 kg, 1 pallet = 25 packages = 52.00 m² = 775 kg

N PURE NORDIC **R** MODERN RUSTIC **U** URBAN CONTRAST **C** CLASSIC ELEGANCE




Oak Traditional



Oak Old Grey



Oak Traditional white



Oak Antique



Oak Antique, solid plank

Type of wood	Width of boards	Features	Live Natural		
			Article no.	€/m ² Net price	
Oak Historical	137 mm	with antique stain, reparation patterns	EHCA4KFD	84.10	
	162 mm		EHCB4KFD	91.10	
	187 mm		EHCC4KFD	95.90	
Oak Highland *	137 mm	brushed, dark stained, white oiled	XGCA4MFD	77.50	
	162 mm		XGCB4MFD	84.40	
	187 mm		XGCC4MFD	89.30	
Oak Yellowstone *	137 mm	brushed, dark stained, coloured oiled	XFCA4KFD	77.50	
	162 mm		XFCB4KFD	84.40	
	187 mm		XFCC4KFD	89.30	
Oak Tobacco *	137 mm	brushed, dark stained, transparent oiled	OACA4KFD	77.50	
	162 mm		OACB4KFD	84.40	
	187 mm		OACC4KFD	89.30	

INFO

5 elements in each package – minimum 3 boards of whole length.

Solid plank 137 mm: 1 package = 1.52 m² = 21 kg, 1 pallet = 35 packages = 53.20 m² = 735 kg

Solid plank 162 mm: 1 package = 1.80 m² = 26 kg, 1 pallet = 30 packages = 54.00 m² = 780 kg


Solid plank 187 mm: 1 package = 2.08 m² = 31 kg, 1 pallet = 25 packages = 52.00 m² = 775 kg

*** Oak Highland, Oak Yellowstone, Oak Tobacco: knots and cracks are only partially filled**


N PURE NORDIC **R** MODERN RUSTIC **U** URBAN CONTRAST **C** CLASSIC ELEGANCE




Oak Historical



Oak Highland



Oak Yellowstone



Oak Tobacco



Oak Yellowstone, solid plank

BOEN 2-LAYER-COLLECTION


Discover the diverse world of the BOEN 2-layer product range. No matter if it is used for creative flooring patterns in high-quality building areas or for the renovation of existing buildings. It is always about traditional craftsmanship.



Cherry American, Prestige, herringbone pattern



* Oak Smoked with Live Natural in preparation
Traffic: no building authority approval



Individual variety

Our collection of 2-layer wooden flooring includes classic products such as Prestige, Traffic and Maxi for the creation of traditional patterns. A collection that always provides the perfect real wooden flooring for both private living areas as well as high-traffic properties.

With our Finesse and Noble board formats we offer a wooden floor which, thanks to its limited height, is perfectly suitable for use in existing constructions. This means that exclusive board patterns can be placed with smooth transitions to adjoining areas.

Prestige 10 mm

NEW

- The creative design solution with left-hand and right-hand strips for installation of individual patterns
- Ideal for the renovation of living rooms and working areas thanks to its low height of only 10 mm
- Prestige is directly glued on the subfloor
- Dimension: 10 x 70 x 590 mm
Top layer: ca. 3.5 mm
Bottom layer: 6.5 mm spruce



Type of wood	Grading	Live Satin		Live Matt		Live Natural	
		Article no.	€/m ² Net price	Article no.	€/m ² Net price	Article no.	€/m ² Net price
Ash	Nature	ASN23P5D	50.15			ASN23K5D	53.90
Ash	Baltic	ASN28P5D	40.30			ASN28K5D	44.05
Maple Canadian	Nature	MAN23P5D	59.40			MAN23K5D	63.15
Beech	Nature	BDN23P5D	42.45	BDN2355D	44.45	BDN23K5D	46.20
Beech	Bellevue	BDN26P5D	37.65			BDN26K5D	41.40
Oak	Select	EIN22P5D	59.40			EIN22K5D	63.15
Oak	Nature	EIN23P5D	47.80	EIN2355D	49.80	EIN23K5D	51.55
Oak	Basic	EIN2TP5D	42.45	EIN2T55D	44.45	EIN2TK5D	46.20
Oak	Rustic	EIN24P5D	38.35			EIN24K5D	42.10
Oak white pigmented	Nature			EIN2325D	50.80	EIN23M5D	52.55

INFO

Contents of a package: 10 x 70 x 590 mm = 32 pieces right-hand strips and 32 pieces left-hand-strips. Each carton can contain two half divided strips.
One carton = 2.64 m² = 13.77 kg. 1 pallet = 36 packages = 95.04 m².

N PURE NORDIC **R** MODERN RUSTIC **U** URBAN CONTRAST **C** CLASSIC ELEGANCE




Ash Nature




Ash Baltic




Maple Canadian Nature




Beech Nature




Beech Bellevue




Oak Select




Oak Nature




Oak Basic




Oak Rustic




Oak Nature white




Longstrip




Longstrip brickbond



Diagonal



B-strip, brickbond




Herringbone

Type of wood	Grading	Live Satin		Live Matt		Live Natural	
		Article no.	€/m ² Net price	Article no.	€/m ² Net price	Article no.	€/m ² Net price
Oak Arizona NEW				EQN2355D	52.80		
Cherry American	Nature	KIN23P5D	79.35			KIN23K5D	83.10
Doussie	Nature	DON23P5D	68.60			DON23K5D	72.35
Iroko/ Kambala	Nature	IRN23P5D	61.25			IRN23K5D	65.00
Oak Toscana NEW				ETN2355D	52.80		
Merbau		MEN23P5D	69.95			MEN23K5D	73.70
Oak Marron steamed		RON23P5D	61.65	RON2355D	63.65	RON23K5D	65.40


INFO

Contents of a package: 10 x 70 x 590 mm = 32 pieces right-hand strips and 32 pieces left-hand-strips. Each carton can contain two half divided strips.
 One carton = 2.64 m² = 13.77 kg. 1 pallet = 36 packages = 95.04 m².

N PURE NORDIC **R** MODERN RUSTIC **U** URBAN CONTRAST **C** CLASSIC ELEGANCE



Oak Arizona




Cherry American Nature



Doussie Nature



Iroko/ Kambala Nature



Oak Toscana



Merbau



Oak Marron




Oak Select, Prestige, herringbone pattern

Type of wood	Grading	🔒 Live Satin		🔒 Live Matt		🌿 Live Natural	
		Article no.	€/m ² Net price	Article no.	€/m ² Net price	Article no.	€/m ² Net price
Walnut American	Nature	NUN23P5D	76.20	NUN2355D	78.20	NUN28K5D	79.95
Walnut American	Baltic	NSN28P5D	70.95			NSN28K5D	74.70
Oak Smoked	Nature	ELN23P5D	59.90	ELN2855D	61.90	ELN23K5D	63.65
Oak Smoked NEW	Baltic	ELN28P5D	55.10			ELN28K5D	58.85


INFO

Contents of a package: 10 x 70 x 590 mm = 32 pieces right-hand strips and 32 pieces left-hand-strips. Each carton can contain two half divided strips.
One carton = 2.64 m² = 13.77 kg. 1 pallet = 36 packages = 95.04 m².


N PURE NORDIC **R** MODERN RUSTIC **U** URBAN CONTRAST **C** CLASSIC ELEGANCE




Walnut American Nature




Walnut American Baltic



Oak Smoked Nature



Oak Smoked Baltic



Walnut American Nature, Prestige, herringbone pattern



Economy 9.5 mm

NEW

- With its real wood top layer of about 2.5 mm, Economy strips are the price-conscious answer to laying classic strip flooring
- Its low installation height of just 9.5 mm makes Economy the perfect strip flooring for existing buildings
- Glue down directly to the subfloor
- Dimension: 9.5 x 70 x 470 mm
Top layer: ca. 2.5 mm
Bottom layer: 7 mm HDF



Type of wood	Grading	 Live Matt	Live Natural		
			Article no.	€ / m ² Net price	
Maple Canadian	Contract		MAF2754D	48.25	MAF27K4D 50.00
Beech	Nature		BDF2354D	35.85	BDF23K4D 37.60
Beech	Bellevue		BDF2654D	32.20	BDF26K4D 33.95
Oak	Nature		EIF2354D	39.90	EIF23K4D 41.65
Oak	Basic		EIF2T54D	35.85	EIF2TK4D 37.60
Oak white pigmented	Nature		EIF2324D	40.90	EIF23M4D 42.65
Walnut American	Nature		NUF2354D	69.00	NUF23K4D 70.75
Oak Smoked			ELF2954D	49.25	ELF29K4D 51.00

INFO

Contents of a package: 9.5 x 70 x 470 mm = 64 pieces right-hand-strips. Each carton can contain two half divided strips.
One carton = 2.11 m² = 17.49 kg. 1 pallet = 36 packages = 75.96 m²
We can only deliver complete packages.


N PURE NORDIC **R** MODERN RUSTIC **U** URBAN CONTRAST **C** CLASSIC ELEGANCE




Maple Canadian Contract



Beech Nature



Beech Bellevue




Oak Nature




Oak Basic



Oak Nature white



Walnut American Nature



Oak Smoked

Traffic 12.5 mm

NEW

- The particularly wear-resistant 1-strip parquet flooring, with a top layer of approx. 5.5 mm is ideal for high-traffic areas, such as shops, restaurants, public buildings, etc.
- Glue down directly to the subfloor
- Dimension: 12.5 x 70 x 590 mm
Top layer: ca. 5.5 mm
Bottom layer: 7.0 mm spruce



Type of wood	Grading	Live Matt		Live Natural	
		Article no.	€/m ² Net price	Article no.	€/m ² Net price
Maple Canadian	Contract	MA62755D	68.25	MA627K5D	70.00
Beech	Contract	BD62755D	47.75	BD627K5D	49.50
Oak	Nature	EI62355D	55.10	EI623K5D	56.85
Oak	Basic	EI62T55D	49.10	EI62TK5D	50.85


INFO

Contents of a package: 12.5 x 70 x 590 mm = 26 pieces right-hand-strips and 26 pieces left-hand-strips. Each carton can contain two half divided strips.
One carton = 2.15 m² = 18.25 kg. 1 pallet = 36 packages = 77.4 m².
We can only deliver complete packages.


N PURE NORDIC **R** MODERN RUSTIC **U** URBAN CONTRAST **C** CLASSIC ELEGANCE



Maple Canadian Contract




Beech Contract



Oak Nature



Oak Basic







Maple Canadian Contract, Traffic

Maxi 10.5 mm

NEW

- › Our classic 1-strip parquet flooring – but with special dimension
- › Maxi with length of 833 mm for the placement of classic patterns
- › Due to the special width and length Maxi is perfect for large floor areas
- › Glue down directly to the subfloor
- › Dimension: 10.5 x 100 x 833 mm
Top layer: ca. 3.5 mm
Bottom layer: 7.0 mm spruce



Type of wood	Grading	 Live Matt without bevel	Article no.	€/m ² Net price	 Live Matt brushed, 2V bevel	Article no.	€/m ² Net price	 Live Natural without bevel	Article no.	€/m ² Net price	 Live Natural brushed, 2V bevel	Article no.	€/m ² Net price
Oak	Nature		EIL6357D	55.50		EBL6351D	62.50		EIL63K7D	57.25		EBL63K1D	64.25
Oak	NEW Rustic		EIL6457D	49.90		EBL6451D	56.90		EIL64K7D	51.65		EBL64K1D	58.65
Oak white pigmented	Nature		EIL6327D	56.50					EIL63M7D	58.25		EBL63M1D	65.25
Walnut American	Nature		NUL6357D	87.80					NUL63K7D	89.55		NBL63K1D	96.55
Oak Smoked	Nature		ELL6357D	72.15					ELL63K7D	73.90		EEL63K1D	80.90


INFO

Contents of a package: 20 pieces right-hand-strips = 1.667 m² = 9.35 kg. 1 pallet = 50 packages = 83.35 m².
Each carton can contain 1 half divided element (2 parts in 416/ 417 mm length each).
We can only deliver complete packages.
Left and right strips available on request.


N PURE NORDIC **R** MODERN RUSTIC **U** URBAN CONTRAST **C** CLASSIC ELEGANCE




Oak Nature




Oak Rustic



Oak Nature white



Walnut American



Oak Smoked



Oak Nature, Maxi

FINESSE

*A small but exquisite plank format.
Classic oak, modern refined oak surfaces,
or utterly exclusive walnut.*



Walnut American Nature, Finesse



* Oak Smoked with Live Natural
in preparation



Finesse 1350 mm




Special-format planks

The dimensions of Finesse planks are attractively unique. Although the surface is reminiscent of a classic plank floor, the smaller size of Finesse planks creates an attractive surface that is much more vibrant. Two layers on a pine base are covered with a real wood top layer, creating an overall installation height of just 10.5 mm. Perfect for existing buildings.

Finesse 10.5 mm

- › The exquisite Finesse plank with its two-layered structure, available in special lengths and widths
- › Bottom layer: spruce
- › Glue down directly to the subfloor
- › Dimension: 10.5 x 135 x 1350 mm
Top layer: ca. 3.5 mm
Bottom layer: 7 mm spruce



Type of wood	Grading	 Live Matt without bevel	Article no.	€/m ² Net price	 Live Matt brushed, 2V bevel	Article no.	€/m ² Net price	 Live Natural 2V bevel	Article no.	€/m ² Net price	 Live Natural brushed, 2V bevel	Article no.	€/m ² Net price
Oak	Nature		EILE35PD	67.00		EBLE35FD	74.00					EBLE3KFD	75.75
Oak	Rustic		EILE45PD	59.20		EBLE45FD	66.20					EBLE4KFD	67.95
Oak white pigmented	Nature		EILE32PD	68.00					EILE3MFD	72.75		EBLE3MFD	76.75
Oak Honey	Rustic											OHLE4KFD	74.10
Oak Old Grey												OGLE4KFD	74.10
Walnut American	Nature		NULE35PD	109.25					NULE3KFD	114.00			
Oak Smoked	Nature		ELLE35PD	87.10								EELE3KFD	95.85
Oak Smoked	Baltic		ELLE85PD	80.40								EELE8KFD	89.15
Oak Stone									XBLE3MFD	94.10			


INFO

Contents of a package: 14 pieces right-hand strips = 2.55 m² = 16.4 kg, 1 palette = 35 packages = 89.25 m².


We reserve the right to deliver 1 element with random length (2 parts in 675 mm length each)

We can only deliver complete packages.

N PURE NORDIC **R** MODERN RUSTIC **U** URBAN CONTRAST **C** CLASSIC ELEGANCE




Oak Nature



Oak Rustic




Oak Nature white




Oak Honey




Oak Old Grey




Walnut American Nature



Oak Smoked Nature



Oak Smoked Baltic



Oak Stone

NOBLE

A typical plank with a two-layered structure that is anything but typical. The oak planks come in a wide range of fascinating, elaborately finished surfaces.



Oak Old Grey, Noble 178 mm



Noble 2200 mm

Exclusive planks

Noble combines the large-area and continuous top layer of typical planks with the advantage of an unusually low installation height. Noble is just 9.7 mm thick, making it the excellent choice for renovations. Same-level transitions to neighbouring rooms with tiled or carpeted floors can be created without any problems. Noble is also ideal for taking advantage of the low installation height in new buildings with open plan rooms. A same-level transition from elegant hardwood flooring in the living area to the tiles of your choice in the open kitchen can be achieved without any problems.

Noble 9.7 mm

- Planks in genuine country house format, particularly good for refurbishments
- Noble has an HDF-reinforced base and offers superb dimensional stability
- Available in two widths: 136 and 178 mm
- The planks have a standard (2V) bevel down the long sides
- Dimension: 9.7 x 136/ 178 x 2200 mm
Top layer: ca. 2.8 mm
Bottom layer: 6.9 mm HDF



Type of wood	Features	Width	Live Natural brushed, 2V bevel		Live Natural unbrushed, 2V bevel	
			Article no.	€/m ² Net price	Article no.	€/m ² Net price
Oak Adagio NEW	brushed, transparent oiled	136 mm 178 mm	EBE92KFD EBEF2KFD	76.75 86.25		
Oak Andante	brushed, transparent oiled	136 mm 178 mm	EBE93KFD EBEF3KFD	68.75 78.25		
Oak Animoso	brushed, transparent oiled	136 mm 178 mm	EBE94KFD EBEF4KFD	60.95 70.45		
Oak Old Grey	brushed, whitewashed appearance	136 mm 178 mm	OGE94KFD OGEF4KFD	68.10 77.60		
Oak Alamo	historical stained	136 mm 178 mm			EAE9VKFD EAEFVKFD	62.50 72.00
Oak Pearl	pearl white pigmented, slightly brushed	136 mm 178 mm	XUE94MFD XUEF4MFD	68.10 77.60		
Oak Coral	gleaming white pigmented	136 mm 178 mm	OPE94MFD OPEF4MFD	68.10 77.60		
Oak Sand	sand colour oiled	136 mm 178 mm	XHE94MFD XHEF4MFD	68.10 77.60		
Oak Barrel	brushed, brown tone pigmented	136 mm 178 mm	OOE94KFD OOEF4KFD	68.10 77.60		
Oak Ivory	ivory colour pigmented, slightly brushed	136 mm 178 mm	XWE93KFD XWEF3KFD	72.00 81.50		

INFO

Noble 136 mm: 1 package = 8 elements = 2.39 m² = 20.9 kg, 1 pallet = 49 packages = 117.11 m².

Noble 178 mm: 1 package = 6 elements = 2.35 m² = 20.5 kg, 1 pallet = 45 packages = 105.75 m².

We reserve the right to deliver 1 element with random length (2 parts in 1100 mm length each)

We can only deliver complete packages.


N PURE NORDIC **R** MODERN RUSTIC **U** URBAN CONTRAST **C** CLASSIC ELEGANCE



Oak Adagio




Oak Andante




Oak Animoso



Oak Old Grey




Oak Alamo



Oak Pearl




Oak Coral



Oak Sand



Oak Barrel



Oak Ivory

BOEN SPORTS FLOOR




The floor is the most important part of any sports facility – each activity depends on the floor. That is why the choice of a floor is so important.

Elastic sports floor systems featuring BOEN hardwood flooring or synthetic flooring are the perfect choice for sports halls, squash courts, aerobic studios, dance schools, as well as rehabilitation and fitness settings.

Boflex

- An elastic sports floor for the sports and multi-purpose usage for floating installation on even sub-floor, e.g. screed.
- Top layer BOEN parquet flooring with double tongue and groove profile and bottom elastic strips*
- Boflex Stadium Construction height: 28.0 mm
Dimension: 28 x 137 x 2200 mm
Top layer: ca. 3.5 mm



* On request: As a support system for elastic surfaces

Boflex Stadium	T79 Sport lacquer	Squash lacquer
Type of wood	Article no.	Article no.
	€/m ² Net price	€/m ² Net price
Ash Sport	AS2ASTSY 84.90	AS2ASSSY 91.20
Maple Canadian Sport	MA2ASTSY 97.90	
Beech Sport	BD2ASTSY 78.30	BD2ASSSY 84.70
Oak Sport	EI2ASTSY 82.70	EI2ASSSY 89.00

INFO

The price includes the perimeter skirtings to be put along the walls and the glue. It is possible to rent installation accessories.

1 package = 6 elements = 1.81 m² = 21 kg
1 pallet = 49 packages = 88.69 m² = 1029 kg

We reserve the right to deliver 10% in lengths of 700 mm to 1500 mm.

Please read more information on our webpage www.boensport.com






Actiflex



- › Elastic sports floor system, whereby the planks are laid on top of an elastic foam for optimum absorption of the forces involved
- › Can be installed on a flat, firm and self-supporting subfloor or an existing floor
- › Quick and easy installation with the BOEN X-press Clic joint locking system
- › Actiflex Stadium Construction height: 29.0 mm
Dimension: 21 x 209 x 2200 mm
Top layer: ca. 3.5 mm



Actiflex Stadium	T79 Sport lacquer		
Type of wood	Article no.	€/m ² Net price	
Ash Sport	ASAVSTTY	72.20	
Maple Canadian Sport	MAAVSTTY	83.20	
Beech Sport	BDAVSTTY	66.60	
Oak Sport	EIAVSTTY	70.30	

INFO

The price also includes perimeter skirtings and elastic foam.


1 package = 4 elements = 1.84 m² = 19.2 kg

1 pallet = 40 packages = 73.60 m² = 766.80 kg

Elastflex

- An elastic sports floor for the sports and multi-purpose usage for installation on even subfloor, e.g. screed. Top layer BOEN parquet flooring*
- Elastflex Stadium Construction height: 38.0 mm
Dimension: 14 x 209 x 2200 mm
Top layer: ca. 3.5 mm
- Elastflex Olympia Construction height: 50.0 mm
Dimension: 21 x 139 x 2200 mm
Top layer: ca. 5.5 mm


* On request: As a support system for elastic surfaces



Arenaflex

- An elastic sports floor for the sports and multi-purpose usage for installation on rough concrete. Easy and rapid installation due to height-adjustable cradles. Top layer BOEN parquet flooring*
- Arenaflex Stadium Construction height: 75.0 - 131.0 mm
Dimension: 23 x 139 x 2200 mm
Top layer: ca. 3.5 mm
- Arenaflex Olympia Construction height: 73.0 - 129.0 mm
Dimension: 21 x 139 x 2200 mm
Top layer: ca. 5.5 mm


* On request: As a support system for elastic surfaces.



Singleflex

- An elastic single resilient floor for sports and multi-purpose usage to be installed on rough concrete. Top layer BOEN parquet flooring*
- Singleflex Stadium Construction height: 66.0 mm
Dimension: 14 x 209 x 2200 mm
Top layer: ca. 3.5 mm
- Singleflex Olympia Construction height: 73.0 mm
Dimension: 21 x 139 x 2200 mm
Top layer: ca. 5.5 mm

* On request: As a support system for elastic surfaces



Performance quick guide

49



	Actiflex	Boflex	Elastflex	Arenaflex	Singleflex
European Standard EN 14904, type A4	✓	✓	✓	✓	✓
FIBA certificate	✓	✓	✓	✓	✓
FSC MIX, 70 %, optional	✓	✓	✓	✓	✓
Sport- and multipurpose use	✓	✓	✓	✓	✓
New building or renovation with low building height requirements	✓	✓	✓		
New building or renovation with high building height requirements				✓	✓
Uneven subfloor: no need of levelling				✓	✓
Suitable for installation over underfloor heating system		✓		✓	✓
Quick installation	✓	✓			
Areas up to 1500 m ² NB! For areas above 1500 m ² please contact us	up to 600 m ²	✓	✓	✓	✓
Rolling load min. 1500 N	✓	✓	✓	✓	✓
Installation of equipment (volleyball, gymnastics, handball, etc.)		✓	✓	✓	✓
Squash surface possible		✓	✓	✓	✓

ACCESSORIES

BOEN offers a wide range of accessories – from insulating underlays, skirting boards made from BOEN parquet and profiles right through to stair nosings. The key to keeping hardwood flooring looking pristine over the years is to ensure that it is cleaned and cared for correctly. With this in mind, we offer a comprehensive range of care and cleaning products.

Adhesive and compound



Article	Package	Price	
		Article no.	€/kg Net price
Bona H660 filler Cementitious smoothing and levelling compound Coverage: approx. 1,5 kg/m ² with a thickness of 1 mm	25 kg	A401B002	1.75
Bona Primer D510 1-component primer for the preparation of substrates prior to using levelling compounds, in particular Bona H660	5 kg	A404B002	8.80
Bona R848 adhesive Elastic single-component adhesive, silane-modified adhesive Coverage: 2-layer 1000 g/m ² Spatula B8 3-layer 1250 g/m ² Spatula B12 Solids 1500 g/m ² Spatula B14	15 kg	A403B002	7.25
BOEN parquet glue Wood and parquet glue for bonding groove and tongue	0.75 ltr.	A401C001	6.00/ bottle


Underlay systems

- Underlay for floating installation



Article	m ² / roll	Price	
		Article no.	€/m ² Net price
XPS roll The best alternative to polyethylene foam. Thickness 2 mm, width 1.10 m, 15% less noise generated in the room during use, reduction in structure-borne noise of up to 20 dB	16.5 m ²	A603E101	1.00
Polynorm PE Maxima The best from PE foam. Polyethylenfoam 120 kg/m ³ , Thickness 2 mm, width 1.00 m, 16% less noise generated in the room during use, reduction in structure-borne noise of up to 21 dB	12.5 m ²	A601E001	2.10
Universol Acoustic Mat/ Footstep sound absorbing, 1000 kg/m ³ , thickness 3 mm, width 1.00 m, 31% less noise generated in the room during use, reduction in structure-borne noise of up to 19 dB	5 m ²	A602E001	9.10
Duogard®+ Perfect impact sound insulation with moisture protection. 100 kg/m ³ , thickness 2.2 mm, width 1.00 m, 10% less noise generated in the room during use, reduction in structure-borne noise of up to 20 dB	25 m ²	A605E001	3.95
BOEN cover board with BOEN logo The perfect way to protect installed hardwood flooring	50 m ²	A601N001	1.80

Installation equipment

Article	Packing unit	Price	
		Article no.	€/piece Net price
Assembly tool 	1	A701N000	31.50
Tapping block 450 x 70 x 40 mm, grey	1	A702N000	30.80
Serrated spatula B8	1	A405B002	3.10
Serrated spatula B12	1	A406B002	3.10
Serrated spatula B14	1	A407B002	3.10

Skirting boards made from solid wood Design 22

- Package content: Total number of skirtings: 6
(5 long lengths and 1 splitted length)
- Dimension: 58 x 22 x 2200 mm



Type of wood	Surface	Price	
		Article no.	€/meter Net price
Maple Canadian	Live Satin	A1MA2610	11.50
Beech	Live Satin	A1BD2610	8.40
Oak	Live Satin	A1EI2610	10.50
Oak white	Live Matt white	A1EI2620	11.50
Doussie	Live Satin	A1D02610	11.50
Merbau	Live Satin	A1ME2610	13.70
Oak	Live Natural	A1EI2660	10.50
Oak white	Live Natural, white pigmented	A1EI2680	11.50
Oak Antique	Live Natural, stained	A1EA2660	12.60
Oak Old Grey	Live Natural	A1OG2660	12.60
Oak Coral	Live Natural	A1OP2660	12.60

Skirting boards Traditional-German profiled, MDF


- Dimension: 70/ 96/ 115 x 18 x 2400 mm



Dimension	Surface	Price	
		Article no.	€/lin. meter Net price
MDF 70 x 18 mm	white lacquerd	A1MDF830	4.15
MDF 96 x 18 mm	white lacquerd	A1MDG830	5.20
MDF 115 x 18 mm	white lacquerd	A1MDH830	6.30

Skirting boards made from BOEN parquet

- These skirting boards are made to order from our high-quality multilayer parquet
- Can be produced from all BOEN wood types (except: Oak Marron) and with Live Satin, Live Matt and Live Natural finishes from our current range
- Package content: 1 bundle – 10 pieces
- Dimension: 58 x 14 x 2180 mm



Type of wood	Surface	Price	
		Article no.	€/meter Net price
AVAILABLE FROM STOCK			
MDF, white lacquered	Live Satin	A1MDAA30	4.25
Ash	Live Satin	A1ASAA10	8.80
Ash matt white	Live Matt white	A1ASAA20	8.80
Maple Canadian	Live Satin	A1MAAA10	10.50
Beech	Live Satin	A1BDAA10	8.80
Oak	Live Satin	A1EIAA10	8.80
Oak	Live Natural	A1EIAA60	8.80
Oak Alamo	Live Natural	A1EAAA60	8.80
Oak Old Grey	Live Natural	A1OGAA60	8.80
Oak Sand	Live Natural	A1XHAA80	8.80
Oak Coral	Live Natural	A1OPAA80	8.80
Oak	Llve Matt	A1EIAA50	8.80
Oak matt white	Live Matt white	A1EIAA20	8.80
Oak white	Live Natural, white pigmented	A1EIAA80	8.80
Doussie	Live Satin	A1DOAA10	10.50
Iroko/ Kambala	Live Satin	A1IRAA10	8.80
Jatoba	Live Satin	A1JAAA10	10.50
Merbau	Live Satin	A1MEAA10	10.50
Walnut American	Live Satin	A1NUAA10	11.60
Oak Smoked	Live Satin	A1ELAA10	10.50
Oak Smoked	Live Natural	A1ELAA60	10.50
Oak Stone	Live Natural	A1XBAA80	10.50
Oak Noir	Live Satin	A1EMAA10	10.50
PRODUCED TO ORDER			
Ash, Beech, Iroko/ Kambala, Red Oak	Live Natural, Live Matt	A1xxAAx0	9.80
Oak Amber, Barrel, Ivory, Pearl, Moon, Graphite, Lava, Shadow	Live Natural	A1xxAAx0	9.80
Fashion Collection	Live Natural	A1xxxAx0	14.20
Oak Cordoba, Toscana, Arizona, Provence	Live Satin, Live Matt	A1xxAAx0	9.80
Cherry American	Live Natural, Live Satin, Live Matt	A1KIAAx0	13.10
Oak Smoked, Jatoba, Doussie, Maple Canadian, Merbau	Live Natural, Live Matt	A1xxAAx0	13.10
Oak Noir	Live Matt	A1EMAAx0	13.10
Walnut American	Live Natural, Live Matt	A1NUAAx0	14.20

Stair nosings made from BOEN parquet

- The stair nosings are made to order from our high-quality multi-layer parquet flooring
- We manufacture from all BOEN types of wood and all surfaces of our current range of products*
- Stair nosings are available in single and double-sided versions for all BOEN X-press and tongue/groove products*
- Dimension: Length for 2-layer products: 1.10 m
Length for 3-layer products and solid planks: 1.10 m or 2.00 m



Profile/ Product	Surface	Length	Price	
			Article no.	€/meter Net price
14 MM, 3-LAYER				
BOEN X-press, single side, profile 1	as required	1100 mm	A2xxL1x0	80.20
BOEN X-press, single side, profile 1	as required	2000 mm	A2xxL5x0	80.20
BOEN X-press, double side, profile 2	as required	1100 mm	A2xxM1x0	86.40
BOEN X-press, double side, profile 2	as required	2000 mm	A2xxM5x0	86.40
Tongue/ groove, single side, profile 3	as required	1100 mm	A2xxN1x0	80.20
Tongue/ groove, single side, profile 3	as required	2000 mm	A2xxN5x0	80.20
Tongue/ groove, double side, profile 4	as required	1100 mm	A2xxO1x0	86.40
Tongue/ groove, double side, profile 4	as required	2000 mm	A2xxO5x0	86.40
10.5 MM, 2-LAYER				
Tongue/ groove, single side, profile 5	as required	1100 mm	A2xxP1x0	82.60
Tongue/ groove, double side, profile 6	as required	1100 mm	A2xxR1x0	88.90
20 MM				
Tongue/ groove (solid), single side, profile 7	as required	1100 mm	A2xxS1x0	80.20
Tongue/ groove (solid), single side, profile 7	as required	2000 mm	A2xxS5x0	80.20
Tongue/ groove (solid), double side, profile 8	as required	1100 mm	A2xxT1x0	86.40
Tongue/ groove (solid), double side, profile 8	as required	2000 mm	A2xxT5x0	86.40

INFO


These products are made to order. Delivery time approx. 3 weeks.

Info: Stair nosings in the profiles 1 - 6 are available with a lengthwise bevel. Stair nosings 7 and 8 are only available with bevel.

Please notify at time of ordering if you will be assembling the stair nosings with a butt joint on-site.


Except: 3-layer: Chalet on request. Not available in Oak Marron, all longstrip and all Fineline.
2-layer: Only for Prestige, Maxi and Finesse in the following wood types: Oak, Oak smoked and Walnut.

Profile 1




Stair nosings are only compatible with the longitudinal profiles of the boards

Profile 2




Stair nosings are only compatible with the longitudinal profiles of the boards


Profile 3




Profile 4




Profile 5




Profile 6



Profile 7




Profile 8



Aluminium seams for 14 mm parquet (Clic and tongue/ groove)

- Dimension: Tongue/ groove 14 x 9 x 2200 mm
Clic 14 x 20 x 2200 mm



Article	Surface	Price	
		Article no.	€/meter Net price
Aluminium seam for tongue/ groove products (see photo)	anodized	A810K000	8.90
Aluminium seam for Clic products	anodized	A811K000	16.80



Oak Pearl, plank

For repair work



Article	Price		
	Article no.	€/piece	Net price
Repair set for hardwood floors with Live Satin and Live Matt lacquered finish 10 sticks of hard wax with melter and varnish pen	A504L001	59.90	
Repair set for hardwood floors with Live Natural oil-treated or Live Matt lacquered finish 10 sticks of hard wax with melter, matt varnish pen and 1 x oil (10 ml)	A505L001	59.90	
Repair set for wooden flooring with Live Matt lacquered-finished surface 100 ml Bona Naturale finish, sandpaper, instructions	A512B002	35.90	
Repair set for hardwood floor with Live Natural oiled surface For the partial repair of oiled surfaces. Content: Repair instructions, abrasive paper P 150, abrasive web P 360, 0,125 l BOEN Live Natural Oil, coloured oil, brush, paint brush, cleaning cloths			
for transparent surfaces	1 unit	A520S001	66.90
for white surfaces	1 unit	A521S001	66.90
for the Oak Lava	1 unit	A524S001	66.90
for the Oak Pearl	1 unit	A525S001	66.90
for the Oak Alamo/ Antique/ Historical	1 unit	A526S001	66.90
for the Oak Old Grey	1 unit	A527S001	66.90
for the Oak Coral	1 unit	A528S001	66.90
for the Oak Stone/ Shadow	1 unit	A529S001	66.90
for the Oak Sand	1 unit	A531S001	66.90
for the Oak Amber	1 unit	A532S001	66.90
for the Oak Barrel	1 unit	A533S001	66.90
for the Oak Moon/ Highland	1 unit	A535S001	66.90
for the Oak Graphite/ Yellowstone	1 unit	A536S001	66.90
for the Oak Ivory	1 unit	A537S001	66.90
for the Oak Tobacco NEW	1 unit	A538S001	66.90

Care products for Live Satin and Live Matt lacquered floors



Article	Size	Price	
		Article no.	€/unit Net price
Cleaner Fountain solution for current cleanings also appropriate for Live Satin and Live Matt lacquered surfaces	1 litre	A504B001	13.30
Refresher Eco-friendly care product, water-resistant, self-shining and slide-retardant according to DIN 18032 for Live Satin lacquered surfaces. Usage ca. 1 litre for 30-50 m² or 1 cover cap for approx. 1 m²	1 litre	A503B001	13.30
Polish matt Eco-friendly product for Live Matt lacquered floors Usage ca. 1 litre for 30-50 m² or 1 cover cap for approx. 1 m²	1 litre	A501B001	15.30
Care and cleaning set for Live Satin lacquered surfaces 1 l Cleaner + 1 l Refresher	2 x 1 litre	A505B001	26.30
Care and cleaning set for Live Matt lacquered surfaces 1 l Cleaner + 1 l Polish matt	2 x 1 litre	A506B001	28.40
Remover (Polish Remover) Cleaning agent for a manual or mechanical cleaning for heavy or adhesive soiling	1 litre	A502B002	13.30
Bona Spray Mop For cleaning and taking care of wooden floors. Ergonomic design and easy to use: With cleaning cartridge for „spray and wipe“ technique. Components: Spray mop, cleaner and microfibre pad	1 set	A507B002	61.50
Bona Spray Mop Refiller Components: Spray mop, cleaner and microfibre pad	0.85 litre	A508B001	14.30
Bona Floor Wipes 12 disposable wipes for cleaning hardwood floors quickly and reliably	1 set	A511B001	7.70

Care products for Live Natural oiled parquet floorings



Article	Surface	Size	Article no.	Price €/unit Net price
Live Natural Oil For finishing polished or untreated installed wooden surfaces. Consumption about 80 - 100 ml/m² Finishing of surfaces pre-oiled surface. Consumption about 35 ml/m²	transparent matt transparent matt matt white pigmented	0.75 litre 2.50 litre 0.75 litre	A501S001 A502S001 A503S001	26.80 88.90 32.30
Floor Soap Fountain solution 1 l plastic bottle For daily care, no film building. Does not make the floor more slippery depending on the pre-treatment of the subground.		1 litre 1 carton/ 6 pcs	A504S001 A505S001	13.40 79.90
Oil Freshen Up Cleaning and care product for all oiled floorings 1 l unit - usage approx. 8 - 10 ml/m² Treat the floor from time to time mainly in highly frequented areas which are often cleaned		1 litre 1 carton/ 6 pcs	A506S001 A507S001	19.90 118.90
Oil Freshen Up for white oiled floorings		1 litre	A508S001	26.90
Oil Freshen Up for dark oiled floorings		1 litre	A509S001	26.90
Care and cleaning set for transparent oiled floorings with 1 l Floor Soap + 1 l Oil Freshen Up		2 x 1 litre	A510S001	33.30
Care and cleaning set for white oiled floorings with 1 l Floor Soap + 1 l Oil Freshen Up white		2 x 1 litre	A511S001	40.30
Osmo short-floor microfibre roll Width 250 mm, for BOEN Natural Oil		1	A702S003	12.40
Osmo floor brushes Width 220 mm, for BOEN Natural Oil		1	A701S003	25.80



4 STEPS TO CHOOSE YOUR FLOOR


We are sure that there is a potential for category growth by starting the sales conversation with: Which style do you like? We have thus developed a step-by-step sales process. We also offer inspiring in-store material, as well as a show-room concept, that supports the decision-making in each step. Our ambition is that the consumer will appreciate that the floor really plays an integral part in creating a consistent interior style.

1

CHOICE OF STYLE

Most of us do not really fit only one style. But people tend to lean more towards one style than the other. To help your customer choose a style, we recommend that you use posters, images, our new in-store concept, the style handbook, as well as our virtual floor studio, to present the various styles. Then ask them which style is closest to the style that they are striving to achieve, and which style makes them feel comfortable and at home.

PURE NORDIC




MODERN RUSTIC



URBAN CONTRAST



CLASSIC ELEGANCE



2

CHOICE OF COLOUR

Each type of wood has a distinctively characteristic colour. The BOEN product range contains a large choice of colours to suit a diverse range of furnishing styles and new trends. To help the consumer choose the colour that will complete their interior, we have sorted our products into the four styles. Although it is not an "exact science", and you will find that some floors fit more than one style, we firmly believe that the sorting will help your customer make a good decision – and help you to give good advice.






FIND THE FLOOR OF YOUR DREAMS

You can experience the impression created by your chosen floor in our digital showroom on www.boen.com/floorstudio

3

CHOICE OF FORMAT


The appearance of a large room is accentuated by the use of large planks. And a home with a classic style will be further enhanced with a traditional pattern from our 2-layer range. Once your customer has decided on a colour, you will present them with the available formats and guide them in making a good choice suiting their style – and their budget.



4

CHOICE OF SURFACE


Oil-treated floors emphasize the character of the wood and give the hardwood flooring a very natural feel. Lacquered surfaces are easy to care, and come in both glossy and matt look suiting different styles. Thanks to a special treatment, floor with Live Pure have a naturally look. Guide your customer to choose the surface treatment that enhances their style – and their lifestyle.




Live Satin



Live Matt



Live Natural



Live Pure

STEP

1

CHOICE OF STYLE

Learn more about the
4 styles in the
BOEN style handbook.

4
STYLES



PURE NORDIC

Clean lines in light, airy rooms. The look is simple, elegant and natural. No unnecessary detail or ornaments, no unruly quirks or strong colours. The rooms provide peace and quiet. The interior is functional and minimalist. White dominates, but the look is far from cold. Warm woodwork in blond tones brings nature inside, and creates playful surfaces.

This style is inspired by the Nordic summer light and proximity to nature. It brings lightness and radiance to a long, dark winter, and the senses are filled with quality and harmony.

MODERN RUSTIC

Welcome back to the authentic and the real! This style takes us back to country life in the good old days, while retaining a modern look. The materials are rough and natural: rustic woodwork, linen, cotton and rattan together with modern and more masculine elements. But the main look is feminine, warm and summer light.

The colour palette is neutral and soft, with ample greys, pastels and powder blues. Nostalgia is combined with steel and industrial objects - and the style is transported to our modern lives.


Did you know that the floor is the largest furniture in a home? It therefore plays an integral part in creating a consistent interior style. Together with the interior style expert Helle Tjaberg we have selected four major style groups, and divided our extensive assortment of hardwood floors into each style. The aim is to provide inspiration and advice on how to succeed in creating an interior that suits your personality.



URBAN CONTRAST

Break the rules! Mix and match! The interior is full of contrasts, but a cosy warmth remains the constant backdrop to whimsical ideas. Earthy and playful, functional and creative. The designers have been inspired by the past but have broken all the established rules and have played with shapes, colours and graphic patterns.

Organic lines and materials such as fibreglass and plastic are typical. The same applies to the combination of warm earthy tones with strong, bright colours. The look is fresh, modern and personal.



CLASSIC ELEGANCE

You can sense the historic roar of the ancient Romans and Greeks. The style is refined, symmetrical and elegant, but with a modern touch that allows for creative breaks and unexpected detail.

Order, beauty and classic lines set the scene, with a timeless quality in furniture and design that has been around for generations. A blend of classic and new design adds personality to each room. And the colours are inspired by nature: earthy tones, deep green, red and navy – together with greys and beiges.

STEP

2

CHOICE OF COLOUR

PURE NORDIC *For the touch of beautiful lightness choose the Nordic look.*

①-⑭

> The numbers indicate the available formats for each colour – see page 68 for details.



> The symbols indicate the available surface treatments for each colour – see page 72 for details.



Ash Polar

⑧ ⑩



Ash Andante white

⑧ ⑩



Ash Andante

⑧ ⑩



Maple Canadian Andante

⑧ ⑩




Ash Allegro white

⑧




Ash Nature Prestige

③



Maple Canadian Nature Prestige

③



Oak Concerto white

⑧




Oak Pearl

⑥ ⑧ ⑩ ⑫ ⑬ ⑭



Oak Andante white

⑧ ⑩ ⑪ ⑫



Oak White Nights

⑫




Oak Coral

⑥ ⑧ ⑩ ⑫ ⑬ ⑭




Oak Nature white

① ③ ④ ⑤ ⑬



Oak Traditional white

⑦ ⑬ ⑭



Oak Animoso white

⑩ ⑪ ⑫



Oak Finline white

⑩




Oak Ivory

⑥ ⑩ ⑫




Oak Andante

⑩ ⑫



Oak Old Grey

⑥ ⑦ ⑧ ⑩ ⑫ ⑬ ⑭




Oak Select Prestige

③



Beech Andante

⑧



Beech Nature

① ③



Oak Nature

① ② ③ ④ ⑤ ⑬



Oak Andante

⑥ ⑧ ⑩ ⑪ ⑫



Oak Adagio

⑥



MODERN RUSTIC *Look at the rough surface and warm colours suitable for the Rustic style.*

①-⑭ > The numbers indicate the available formats for each colour – see page 68 for details.

🔒🔒🌿🌀 > The symbols indicate the available surface treatments for each colour – see page 72 for details.



Oak Shabby White

12



Oak Pearl

6 8 10 12 13 14



Oak Coral

6 8 10 12 13 14



Oak White Nights

12




Oak Traditional white

7 13 14



Oak Shabby Cream

12




Oak Animoso

10 12



Oak Traditional

7 13 14



Oak Old Grey

6 7 8 10 12 13 14



Oak Finale

8



Oak Rustic Prestige

3 4 5



Oak Forte

8



Oak Vivo

10 11 12



Oak Basic Prestige

1 2 3




Oak Golden Valley

12



Oak Indian Summer

12



Oak Animoso

6 10 11 12




Oak Historical

7



Oak Antique/ Alamo

6 7 10 12 13 14



Oak Amber

10 12




Oak Barrel

6 10 12




Oak Sandy Grey

12




Oak Yellowstone

7 13 14



Oak Highland

7 13 14



Oak Mystic Jungle

12



URBAN CONTRAST

Vibrant colours and cool expressions characterise the style of Urban Contrast.

1-14

> The numbers indicate the available formats for each colour – see page 68 for details.



> The symbols indicate the available surface treatments for each colour – see page 72 for details.



Oak Finline

10



Iroko/ Kambala Nature Prestige

3



Iroko/ Kambala

8 10



Merbau

3 8 10




Oak Blue Moon

12




Oak Sand

6 8 10 12 13 14




Oak Yellowstone

7 13 14




Oak Arizona

3 8 10




Oak Graphite

10 12




Oak Highland

7 13 14




Oak Mystic Jungle

12




Oak Moon

10 12




Oak Shadow

10 12



Walnut American Baltic Prestige

3



Oak Smoked Baltic Prestige

1 4 5




Oak Provence

8 10




Oak Marron

3 8




Oak Cordoba

8 10




Oak Stone

5 10 12




Oak Lava

10 12




Oak Tobacco

7 13 14




Walnut Andante/ Nature

1 3 4 5 8 10



Oak Smoked

3 5 8 10 12



Oak Smoked Finline

10



Oak Noir

8 10




CLASSIC ELEGANCE *Enjoy the look of sophisticated and stylish floors that are classically elegant.*

①-⑭

> The numbers indicate the available formats for each colour – see page 68 for details.



> The symbols indicate the available surface treatments for each colour – see page 72 for details.




Beech Nature Prestige

① ③



Cherry American

⑧ ⑩




Doussie

⑧ ⑩



Oak Andante

⑥ ⑧ ⑩ ⑪ ⑫



Oak Select Prestige

③



Oak Adagio

⑥



Oak Golden Valley

⑫



Oak white

① ③ ④ ⑤ ⑧ ⑩ ⑪ ⑫ ⑬




Oak Ivory

⑥ ⑩ ⑫




Oak Sand

⑥ ⑧ ⑩ ⑫ ⑬ ⑭



Oak Sandy Grey

⑫




Oak Arizona

③ ⑧ ⑩



Oak Amber/ Honey

⑤ ⑩ ⑫



Oak Barrel

⑥ ⑩ ⑫



Oak Toscana

③ ⑧ ⑩



Jatoba

⑧ ⑩



Iroko/ Kambala

③ ⑧ ⑩




Merbau

③ ⑧ ⑩




Oak Provence

⑧ ⑩




Oak Marron

③ ⑧




Oak Cordoba

⑧ ⑩



Oak Stone

⑤ ⑩ ⑫



Oak Smoked

① ③ ④ ⑤ ⑧



Walnut American

① ③ ④ ⑤ ⑧ ⑩



Oak Noir


⑧ ⑩



CHOICE OF FORMAT

OUR FORMATS

- | | |
|--|---|
| 01 ECONOMY 9.5 x 70 x 470 MM | 08 LONGSTRIP 3-STRIP 14 x 209 x 2200 MM |
| 02 TRAFFIC 12.5 x 70 x 590 MM | 09 LONGSTRIP STRONGLINE 21 x 139 x 2200 MM |
| 03 PRESTIGE 10 x 70 x 590 MM | 10 PLANK 14 x 138 x 2200 MM |
| 04 MAXI 10.5 x 100 x 833 MM | 11 PLANK 14 x 181 x 2200 MM |
| 05 FINESSE 10.5 x 135 x 1350 MM | 12 PLANK CASTLE 14 x 209 x 2200 MM |
| 06 NOBLE 9.7 x 136/178 x 2200 MM | 13 CHALETINO 20 x 300 x 2750 MM |
| 07 SOLID PLANK 20 x 137/162/187 x 2220 MM | 14 CHALET 20 x 200-395 x 2000-4000 MM |



2-LAYER PARQUET

SOLID FLOORS AND 3-LAYER PARQUET

*BOEN performance classifications:

Depending on the field of application of our parquet floorings it is subject to different stress and wear. The Brinell hardness of the wood, the width of the boards, the structure, the thickness of the top layer as well as the surface treatment (sealing or oil treatment) are significant for the stability and durability of your flooring.

Performance classification 1 = normal

Hardwood floors in living areas subject to normal usage. Exception: Wet areas and entrance areas.

Performance classification 2 = medium

Hardwood floors in living areas, in administration, meeting and conference areas, kindergartens, consulting rooms etc. subject to average usage.

Performance classification 3 = heavy

Hardwood floors in heavily frequented areas such as shops, restaurants, entrance areas, schools, conference halls, dance halls, etc.

2V bevel:

Bevel on longitudinal side of the board (total of 2 on one board).

4V bevel:

Bevel on all 4 sides of the board.

NEW

03 PRESTIGE 02 TRAFFIC

Dimensions:

Prestige: 10 x 70 x 590 mm, Traffic: 12.5 x 70 x 590 mm

Tongue/groove

Fields of application:

For installation of designs and patterns. With a top layer of approx. 5.5 mm Traffic is particularly appropriate to be used in highfrequented areas. Including left and right strips. Bottom layer made of spruce.

Types of installation: Glue down to subfloor.

Floor heating systems: Prestige / Traffic: very well suitable.

Performance classification*: Prestige: 1–2 / Traffic: 3

Fire protection classification:

Cfl-s1 and Dfl-s1 depending on wood specie and surface treatment.



Top layer Prestige: ca. 3.5 mm



Top layer Traffic: ca. 5.5 mm

NEW

04 MAXI

Dimensions:

10.5 x 100 x 833 mm

Tongue/groove

Fields of application: Classic 1-strip product of outstanding dimensions. This format is longer and wider than common

1-strip products. The model with its exclusive effects is excellently appropriate for large floor surfaces. Standard: right-hand strips. Left and right strips on request.

Types of installation: Glue down to subfloor.

Floor heating systems: Very well suitable.

Performance classification*: 1–2

Fire protection classification:

Cfl-s1 and Dfl-s1 depending on wood specie and surface treatment.



Top layer: ca. 3.5 mm

05 FINESSE

Dimensions:

10.5 x 135 x 1350 mm

Tongue/groove

Fields of application: A single-strip product whose dimensions nearly create the impression of a plank. Its low installation height of 10.5 mm makes Finesse the perfect solution for refurbishment/renovation projects. Bottom layer made of spruce.

Types of installation: Glue down to subfloor.

Floor heating systems: Very well suitable.

Performance classification*: 1–2

Fire protection classification: Dfl-s1



Top layer: ca. 3.5 mm

06 NOBLE

Dimensions:

9.7 x 136/178 x 2200 mm

Tongue/groove

Fields of application: The 2-layer plank is perfect for renovation purposes. The attractive plank format fits very well to big rooms. Bottom layer made of HDF. Bevel on the longitudinal side (2V).

Types of installation: Glue down to subfloor.

Floor heating systems: Very well suitable.

Performance classification*: 1–2

Fire protection classification: Dfl-s1



Top layer: ca. 2.8 mm

CHOICE OF FORMAT

NEW

01 ECONOMY

Dimensions:
9.5 x 70 x 470 mm

Tongue/groove

Fields of application: With a top layer of 2.5 mm, Economy offers cost-efficient access to classic strip hardwood flooring. Only right-hand-strips.

Types of installation: Glue down to subfloor.

Floor heating systems: Very well suitable.

Performance classification*: 1–2

Fire protection classification: Dfl-s1



Top layer: ca. 2.5 mm



08 LONGSTRIP

Dimensions:
14 x 209 x 2200 mm

BOEN X-press

Fields of application: The classic among the parquet floorings. For a lively and diverse appearance. Well appropriate for lots of room situations.

Types of installation: For the quick and easy floating installation without glue.

Floor heating systems: Well suitable to very well suitable.

Performance classification*: 1–2

Fire protection classification:
Cfl-s1 and Dfl-s1 depending on wood specie and surface treatment.



Top layer: ca. 3.5 mm



09 LONGSTRIP STRONGLINE 21 MM

Dimensions:
21 x 139 x 2200 mm

Tongue/groove

Fields of application: Our strong longstrip with approx. 5.5 mm top layer, designed for public areas in high-frequented rooms (restaurants, hotels, exhibition rooms, etc.)

Types of installation: Glue down to subfloor.

Floor heating systems: Well suitable.

Performance classification*: 3

Fire protection classification: Oak: Cfl-s1, other types of wood: Dfl-s1



Top layer: ca. 5.5 mm



10 PLANK 138

Dimensions:
14 x 138 x 2200 mm

BOEN X-press

Fields of application: Our classic plank boards of optimum width and length ratios for an attractive look of the room over the whole surface. All Oak planks with bevel.

Types of installation: Floating installation or glue down to subfloor.

Floor heating systems: Well suitable to very well suitable.

Performance classification*: 1 – 2

Fire protection classification:
Cfl-s1 and Dfl-s1 depending on wood specie and surface treatment.



Top layer: ca. 3.5 mm



11 PLANK 181

Dimensions:
14 x 181 x 2200 mm

BOEN X-press

Fields of application: An exclusive variation on a plank floor with a width of 181 mm that is particularly effective in larger rooms.

Types of installation: Floating installation or glue down to subfloor.

Floor heating systems: Well suitable to very well suitable.

Performance classification*: 1–2

Fire protection classification:

Cfl-s1 and Dfl-s1 depending on wood specie and surface treatment.



with 2V bevel



Top layer: ca. 3.5 mm

12 PLANK CASTLE

Dimensions:
14 x 209 x 2200 mm

BOEN X-press

Fields of application: Plank boards with an exceptional width for particularly spacious room effects. Micro bevel on the longitudinal side or circumferential bevel (2V/4V).

Types of installation: Floating installation or glue down to subfloor.

Floor heating systems: Well suitable to very well suitable.

Performance classification*: 1–2

Fire protection classification:

Cfl-s1 and Dfl-s1 depending on wood specie and surface treatment.



with 2V/4V bevel



Top layer: ca. 3.5 mm

14 CHALET 13 CHALETINO

Dimensions:
Chaletino: 20 x 300 x 2750 mm
Chalet: 20 x 200/250/300/350/395 x 2000–4000 mm

Tongue/groove

Fields of application: With extraordinary formats these boards are very well appropriate to noble rooms. With bevel on all four sides (4V).

Types of installation: Glue down to subfloor or nail/ screw.

Floor heating systems: Well suitable.

Performance classification*: 2–3

Fire protection classification: Dfl-s1



with 4V bevel



Top layer: ca. 4.5 mm

07 SOLID PLANK

Dimensions:
20 x 137, 162 or 187 x 800–2220 mm

Tongue/groove

Fields of application: Solid floors are fascinating by their original character and by their durability. Bevel on all four sides (4V).

Types of installation: Glue down to subfloor or nail/ screw.

Floor heating systems: Suitable up to 137 mm.

Performance classification*: 3

Fire protection classification: Cfl-s1



with 4V bevel



STEP

4

CHOICE OF SURFACES

BOEN places considerable emphasis on protecting the environment during all phases of production. Neither lacquer nor oil emit gases which are harmful to humans or to the environment. BOEN offers its customers a wide range of surface finishes.



LIVE PURE

Live Pure is the new innovative product development from BOEN: Oak planks with Live Pure surface treatment have a very natural look with ultra matt finish and very good protective characteristics. Live Pure protects the floor from dust, dirt and liquids thanks to a special treatment applied to the surface which leaves the look of the hardwood floor smooth, clear and naturally light – almost like untreated wood.

NEW



LIVE MATT LACQUER

This 6 layer Live Matt sealing with a very low gloss level makes the surface look “as oiled”. A natural look combined with the advantages of a scratch-resistant finish.



LIVE SATIN LACQUER

Very hard-wearing factory-applied 6 layer silk finish considerably reduces the care requirements and increases the durability of the parquet floor. Live Satin is cured by UV light and does not emit any dangerous chemicals or gases.



LIVE NATURAL OIL

Live Natural is a natural surface treatment containing oils such as sunflower, thistle or soya bean oil as well as naturally occurring waxes (carnauba, candelilla). Deep penetration of the oil into the wood is ensured by two-time application on a custom-made production line. The wood pores are saturated, and drying takes place completely naturally in the open air during a process known as the Air-Plus Process. The floor is ready-to-use right after installation and has extremely good protection properties against liquids compared to competitive products.





ENVIRONMENTAL PRINCIPLES

Hardwood flooring is a natural product. As a company that works wood, BOEN has been entrusted with upholding an important legacy.



WE TAKE CARE

It is by constantly engaging in dialogue with environmental protection agencies and organisations and by investing in new production technologies that we are able to ensure careful use of this precious resource. More than 95 % of all our raw materials are sourced from sustainably managed European forests that are already certified according to systems such as FSC™ or are working towards certification.

↖
Oak is an extremely flexible raw material. It has endless possibilities regarding surface treatments, and this create unique colours and expressions.

CERTIFICATES



Across the globe, *the Forest Stewardship Council, FSC™*, promotes an approach to forest management that is environmentally appropriate, socially beneficial and economically viable. The companies within the BOEN Group have implemented a chain-of-custody system in accordance with the standards of the FSC and are able to supply FSC-certified products. BOEN supplies products with the FSC Mix label. We hold the following licences: BOEN Bruk (Norway) FSC™ C051117, BOEN Parkett Deutschland (Germany) FSC™ C101713, BOEN Lietuva (Lithuania) FSC™ C021510, BOEN UK FSC™ C047288, BOEN US FSC™ C095158. www.fsc.org, FSC – The mark of responsible forestry.



The SmartWood programme established by *the Rainforest Alliance* makes high demands on purchasers, manufacturers and land owners in order to achieve a sustainable approach to forest management worldwide.



The Real Wood logo is administered exclusively by authorised manufacturers belonging to the European Federation of the Parquet Industry (FEP). The decision in favour of real wood owes ecological benefits. To manufacture, work and store wood one needs considerably less energy than for other materials.



The **conformity mark** guarantees high standards of structural quality by testing and certifying construction materials in respect of their technical, ecological and health-related properties. Thus guaranteeing home owners a healthy climate, and stockists and fitters product safety and transparency.



Products with the *Der blaue Engel* (Blue Angel) seal of quality contain very low levels of emissions in order to ensure a healthy indoor climate.

ENVIRONMENT-FRIENDLY

Why choose multilayer hardwood floors?

Multilayer hardwood flooring is always an environmental-friendly decision. Compared with solid floors, multilayer hardwood flooring needs less hard wood. The amount of hardwood that is needed to manufacture one solid floor is sufficient for six multilayer hardwood floors.

Natural hardwood layer


There is a choice of more than 13 types of wood for the sturdy top layer. The various surface treatments underline and accentuate the grain of the wood, each in their own unique way.

Middle layer

The middle layer consists of carefully selected wooden slats from quickly replenishable spruce trees. Vertical or semi-vertical annual growth rings ensure a high level of dimensional stability.

Bottom layer

The bottom layer is made from a single piece of spruce veneer and ensures a stable counter draw.



BOEN VALUES

BOEN is known for a long and proud tradition of craftsmanship, based on respect for nature's resources. As a major international supplier of high-end hardwood flooring, we have also made a commitment to inspire and guide the consumer to achieve a consistent interior style. That is why we are guided by the following values:



1

INNOVATIVE MADE FROM DIVERSITY

BOEN is an international company and we recognize that people are different, with different styles and habitat. We dare to challenge, lead on and think differently in our effort to help our costumers fulfil their personal interior style.

2


INTERIOR CONSCIOUS

We know that the goal when making a floor investment is not a merely beautiful floor – but a beautiful home. Consequently we strive to offer the consumer updated inspiration and advice that make the interior decorating process easier – and more fun. We are conscious of interior style and design and are constantly monitoring upcoming trends.

3

END USER ORIENTED

In BOEN we are careful not to distance ourselves from our customers and consumers. We understand trends and development in architecture, style, fashion and interior, and have the know-how on how to translate this to real-world needs.



WHAT CAN WE DO FOR YOU?

77

BOEN Sales worldwide



GEIR WÅLAND

› **President of the Boen brand**
Norway
Phone: +47 99 21 37 20
gw@boen.no

BOEN in Norway



JAN NIELSEN

› **Sales director**
Phone: +47 91 34 50 70
jan.nielsen@boen.no



STIAN BØE

› **Customer service**
Phone: +47 99 21 37 51
stian.boe@boen.no



STEN RUNE ANDERSEN

› **Customer service**
Phone: +47 99 21 37 49
sten.rune.andersen@boen.no



ANNE MARIT FJELDSGÅRD

› **Customer service**
Phone: +47 99 21 37 33
annemarit@boen.no

BOEN in Germany



GUIDO MÜLLER

› **General manager**

Phone: +49 4542 80 03 35
mueller@boen-parkett.de



For Western Europe, Asia, Africa:

OLIVER JUNGHANS

› **Sales director**

Phone: +49 4542 80 03 92
junghans@boen-parkett.de



For Germany:

SVEN ADEBAHR

› **Sales director**

Phone: +49 4542 80 03 85
s.adebahr@boen-parkett.de



ANDREAS TIPPEL

› **Product manager**

Phone: +49 4542 80 03 18
tippel@boen-parkett.de



For France, Belgium, Netherlands,
Spain, North Africa:

MICHAEL SCHMITT

› **Area sales manager**

Mobile: +49 171 19 10 608
m.schmitt@boen-parkett.de



For Austria, France, Luxembourg:

HOLGER HAGEN

› **Customer service**

Phone: +49 4542 80 03 29
Fax: +49 4542 80 03 88
hagen@boen-parkett.de



Far East, India, Middle East, Turkey

TINA WEIGELT

› **Customer service**

Phone: +49 4542 80 03 44
Fax: +49 4542 80 03 88
export@boen-parkett.de



For Belgium, Netherlands, Italy, Spain,
Israel, Africa:

DANIELA ABERT

› **Customer service**

Phone: +49 4542 80 03 77
Fax: +49 4542 80 03 88
d.abert@boen-parkett.de



Far East, India, Middle East, Turkey

CATHRIN JANOWSKI

› **Customer service**

Phone: +49 4542 80 03 44
Fax: +49 4542 80 03 88
export@boen-parkett.de



For Lithuania, UK, Norway, Switzerland:

MARKO SCHACK

› **Customer service**

Phone: +49 4542 80 03 82
Fax: +49 4542 80 03 88
schack@boen-parkett.de

BOEN in the UK



For UK and the Republic of Ireland:

PETER MINNS

› **Managing director**

Phone: +44 1562 75 62 90
peter.minns@boen.co.uk

BOEN in the USA



For USA, Canada:

DENNIS HRUSA

› **Managing director**

Phone: +1 423 534 9473
dennis.hrusa@boen.com

**VALDAS TEKORIUS****> Sales director**Phone: +370 698 72 777
valdas.tekorius@boen.ltFor Poland, Czech Republic, Hungary,
Romania, Bulgaria, Serbia:**ROBERT KOWALSKI****> Area sales manager**Phone: +48 663 188 887
robert.kowalski@boen.plFor Latvia, Estonia, Finland,
Ukraine, Moldova,
Caucasian countries:**TOMAS VIKTORAVICIUS****> Area sales manager**Phone: +370 62017302
tomas.viktoravicius@boen.lt

For Poland:

SEBASTIAN DUKARSKI**> Area sales manager**Phone: +48 661150690
sebastian.dukarski@boen.plFor Lithuania, Belarus, Russia,
Kazakhstan:**MANTAS ARMONAS****> Area sales manager**Phone: +370 62017301
mantas.armonas@boen.lt**AGNE CEJAUSKIENE****> Logistics manager**Phone: +370 62071970
agne.cejauskiene@boen.lt**DARIUS MAMINSKAS****> Customer service manager**Phone: +370 69831663
darius.maminskas@boen.lt

For Norway, Sweden:

SERGEJUS ISTOMINAS**> Customer service**Phone: +370 61885039
sergejus.istominas@boen.lt

For Germany:

IEVA MELNIKAITYTĖ**> Customer service**Phone: +370 62636570
ieva.melnikaityte@boen.ltFor Poland, Ukraine, Latvia,
Kaliningrad:**ANA CHARLAPENKO****> Customer service**Phone: +370 66517761
ana.charlapenko@boen.ltFor Georgia, Azerbaijan, Moldova,
Armenia, Estonia, Lithuania:**ANDRIUS SPASENKO****> Customer service**Phone: +370 61259538
andrius.spasenko@boen.lt

For UK, Finland, Russia, Belarus:

EDUARDAS VOIŠEL**> Customer service**Phone: +370 62098893
eduardas.voisel@boen.lt

BOEN in Asia Pacific/ Far East



RYAN ASTROP

› Regional director

Phone: +852 61 99 49 93
ryan.astrop@boen.asia

BOEN in Indian subcontinent



ABHINAV GUPTA

› Regional director

Phone: +91 98 98 47 06 68
abhinav.gupta@boen.asia

BOEN Marketing worldwide



SIGRID PIGULLA

› Marketing manager

Germany
Phone: +49 4542 80 03 25
pigulla@boen-parkett.de



EVELYN SCHEDELBERGER

› Marketing manager

Norway
Phone: +47 99 21 37 39
evelyn@boen.no



STEFANIE GRUBBE

› Marketing consultant

Germany
Phone: +49 4542 80 03 42
grubbe@boen-parkett.de



LONE HEGEWALD MIKKELSEN

› Graphic designer

Norway
Phone: +47 99 21 37 34
lone@boen.no



CLAUDIA PREHN

› Marketing assistant

Germany
Phone: +49 4542 80 03 31
prehn@boen-parkett.de



MARCO CATTINI

› Marketing coordinator

Norway
Phone: +47 99 21 37 04
marco@boen.no



KARIN BAUMANN

› Graphic designer

Germany
Phone: +49 4542 80 03 46
baumann@boen-parkett.de



ROKAS SUMAKARIS

› Marketing coordinator

Lithuania
Phone: +370 695 88642
rokas.sumakaris@boen.lt



DARIUS VALENTUKEVICIUS

› Graphic designer

Lithuania
Phone: +370 620 78102
darius.valentukevicius@boen.lt

BOEN Technical Support**RUNE HAUGEN**

Norway

Phone: +47 99 21 37 30

rune.haugen@boen.no

**KAI-UWE WEIGELT**

Germany

Phone: +49 4542 80 03 91

weigelt@boen-parkett.de


**SAULIUS MIKALAJUNAS**

Lithuania

Phone: +370 682 20058

saulius.mikalajunas@boen.lt

THE WORLD OF BOEN



Your contact persons all over the world:

ALGERIA

Quick-Décor
Phone: +213 550 975 516
o.l@quick-decor-dz.com

AUSTRIA

woodpark GmbH
Phone: +43 66 26 60 660
office@woodpark.at

AUSTRALIA

Ice Interiors Pty
Phone: +61 1300 111 423
enquiry@iceinteriors.com

ASIA PACIFIC/ FAR EAST

Ryan Astrop
Phone: +852 61 99 49 93
ryan.astrop@boen.asia

BELARUS

Pol Mira
Phone/Fax: +375 17 202-10-56
info@boen.by

BELGIUM

BOEN Benelux BVBA
Phone: +32 33551170
joe.raets@boen.be

CANADA

BOEN Hardwood Flooring
Phone: +1 2766383700

CANADA, Toronto

BOEN Hardwood Flooring, USA
Phone: +1 877 6383078

CHINA

Beflos International Co Ltd
Phone: +86 21 3353 6878
info@beflos.com

CYPRUS

N.G. Marangos & Son Ltd.
Phone: +357 22467030
ngmarane@spidernet.com.cy

DENMARK

Boen Danmark
Phone +45 20 80 84 20
jj@boen.dk

EGYPT

Klaus Schmett
Phone: +971506528370
klausschmett@hotmail.com

ESTONIA

BOEN Lietuva
Phone: +370 620 17302
tomas.viktoravicius@boen.lt

FINLAND

TRIOFLOOR OY
Phone: +358 98545130

FRANCE

BOEN Parquet France
Phone: +33 387065566
boen.france@tubeo.eu

GERMANY

BOEN Parkett Deutschland GmbH & Co. KG
Phone: +49 454280030
boen@boen-parkett.de

GREECE

PAN FLOOR
Phone: +30 21062042902
eleni@boen.gr

HONGKONG

EQUAL Limited
Phone: +852 28817066
info@equ.com.hk

ICELAND

Parket & Gólf
Phone: +354 5681888/
5335060
arnarf@stepp.is

INDIA

Abhinav Gupta
Phone: +91/9898470668
abhinav.gupta@boen.asia

IRAN

Parsaray Koohestan Corp.
Phone: +982122631405
alireza@parsaray.com

ISRAEL

Metropark
Phone: +972 35464371
metroshop@metro-park.co.il

ITALY

INTERWOOD S.R.L.
Phone: +39 0321393360
interwood@interwoodsrl.it

KAZAKHSTAN

Aziya Parket
Phone: +7 727 2583586

KENYA

Prafulchandra & Brothers Ltd.
Phone: +2542037513023
infopbl@africaonline.co.ke

KUWAIT

Klaus Schmett
Phone: +971506528370
klausschmett@hotmail.com

LATVIA

BOEN Lietuva
Phone: +370 620 17302
tomas.viktoravicius@boen.lt

LITHUANIA

BOEN Lietuva
Phone: +370 620 17301
mantas.armonas@boen.lt

MALTA

Brands International Ltd.
Phone: +356 21484683
marise@brands.com.mt

MOROCCO

Floor and More
Phone: +212537563597
christoph@floorandmore.net

NETHERLANDS

BOEN Benelux BVBA
Phone: +32 33551170
joe.raets@boen.be

NEW ZEALAND

James Henry
Phone: +64 4 5270657
chris@jameshenry.co.nz

NORWAY

BOEN Bruk AS
Phone: +47 38066600
boen@boen.no

PHILIPPINES

Mobelwerke Inc (Domus)
Phone: +63 2 738 2430
info@domus.com.ph

POLAND

BOEN Lietuva
Phone: +48 663 188 887
robert.kowalski@boen.pl

QATAR

Klaus Schmett
Phone: +971506528370
klausschmett@hotmail.com

RUSSIA

SBF market
Phone: +74955807844

SPAIN

Maderas Rias Baixas
Phone: +34 988 37 42 22
info@maderasriasbaixas.com

SWEDEN

Scandinavian Room Boen AB
Phone: +46706364096
boen@swedit.nu

SOUTH AFRICA

Euroflooring Systems
Phone: +27 214236160
eurofloor@yebo.co.za

SWITZERLAND

GUIGNARD Parkett AG
Phone: +41 554518585
info@guignard-parkett.ch

TAIWAN

Semiflor Corporation
Phone: +886 424224484
phillip@semiflor.com.tw

TURKEY

Integro - Kulin
Phone: +90 212 327 3333
info@integroflooring.com

UAE

Klaus Schmett
Phone: +971506528370
klausschmett@hotmail.co

UK, REPUBLIC OF IRELAND

Boen UK Ltd.
Phone: +44 (0)800 652 5280
sales@boen.co.uk

UKRAINE

For-sage Ltd.
Phone: +380 44 222 666 3

USA

BOEN Hardwood Flooring
Phone: +1 877 6383078
sales@boen.com

USA, Virginia

BOEN Hardwood Flooring
Phone: +1 276-647-1771
sales@boen.com

BOEN SPORT:

AUSTRIA

Woodpark GmbH
Phone: +43 662660660
office@woodpark.at

BELGIUM

BOEN Benelux BVBA
Phone: +32 33551170
joe.raets@boen.be

DENMARK

Virklund AS
Phone: +45 87245340

FRANCE

BOEN Parquet France
Phone: +33 387065566
boen.france@tubeo.eu

GERMANY

BOEN Parkett Deutschland GmbH & Co. KG
Phone: +49 454280030
boen@boen-parkett.de

UK, REPUBLIC OF IRELAND

Boen UK Ltd.
Phone: +44 (0)800 652 5280
sales@boen.co.uk

HONGKONG

Equal Ltd.
Phone: +85 228817066
info@equ.com.hk

ITALY

INTERWOOD S.R.L.
Phone: +39 0321393360
interwood@interwoodsrl.it

NORWAY

BOEN Bruk AS
Phone: +47 38066600
boensport@boen.no

SWITZERLAND

Boflex Floors
Phone: +41 449301122
info@boflexfloors.ch

USA

BOEN Hardwood Flooring
Tel.: +1 877 6383078
sales@boen.com

Region: Scandinavia

BOEN Bruk AS
4658 Tveit, Norway
Phone: +47 38 06 66 00
boen.no

Regions: Western Europe and Asia

BOEN Parkett Deutschland GmbH & Co. KG
Industriestraße 41, 23879 Mölln, Germany
Phone: +49 4542 8003 0
boen.de

Regions: Central and Eastern Europe

BOEN Lietuva, UAB
Ilgio Street 5, 21412 Kietaviskės, Elektrėnu sav.
Lithuania, Phone: +370 686 551 55
boen.lt

Regions: UK, Republic of Ireland

BOEN UK LTD
320-322 Beech Drive, Hartlebury Trading Estate,
Hartlebury, Worcestershire, DY10 4JB
Phone: +44 (0) 800 652 5280
boen.co.uk

Regions: USA and Canada

BOEN Hardwood Flooring Inc.
3408-2 Virginia Avenue, Collinsville,
VA. 24078, USA
Phone: +1 276 647 1802
boen.com

